



Duckworth & Kent

Titanium Reusable Ophthalmic Instrument Manufacturer

Product Catalogue



Keeping Surgeons **at the Leading Edge** of Ophthalmology

Duckworth & Kent

With over 60 years of engineering expertise, Duckworth & Kent are a world-renowned leader in the manufacture of titanium, reusable ophthalmic instruments.

Located at our headquarters in England, we combine innovative design and cutting-edge technology to manufacture precision instruments which exhibit premium quality and are extremely durable.

Our design engineers are in the unique position of being directed and supported by our Chairman who has decades of experience in the medical profession as an ophthalmic surgeon.

Exceptionally high standards are part of our company ethos, from the inspection and packaging of our ophthalmic instruments, to our fastidious regulatory department providing advice on all matters pertaining to our medical devices.

All of this is complimented by our friendly, knowledgeable and responsive Customer Service Team. Ordering our instruments has never been easier...

Get in touch with Duckworth & Kent

For further information about our current range of ophthalmic instruments and services, visit our website or contact us directly.

Duckworth & Kent Ltd.
Terence House
7 Marquis Business Centre
Royston Road, Baldock
Herts, SG7 6XL, United Kingdom

Office Hours

Monday - Thursday 8:00am - 4:30pm

Friday 8:00am - 4:00pm

T +44 (0) 1462 893254

F +44 (0) 1462 896288

info@duckworth-and-kent.co.uk

www.duckworth-and-kent.com



All schematic line drawings, photographs and copy in this catalogue are fully protected by copyright. No part of this catalogue may be reproduced in any form without written permission of Duckworth & Kent Ltd. Duckworth & Kent Ltd., reserves the right to make changes at any time, without notice, in product specification and availability. Schematic line drawings and photos may vary from actual size. Tip drawings are shown enlarged. Descriptive, typographic, or photographic errors are subject to correction. Name(-s) of instruments are often comprised of a surgeon's name, combination of surgeons' names or D&K's name along with the category of the instrument. Arrow indicates view at point.

D&K® is a registered trademark of Duckworth & Kent Ltd. All other brand names are trademarks or registered trademarks of their respective owners.

S-0010.4 2020/11



A world leader in titanium reusable
ophthalmic instruments

Interactive Menu

Select/click the section you require.

Microincision**Anterior Segment**

Scissors..... 11

Forceps..... 12

Vitreoretinal

Scissors..... 15

Forceps..... 15

Cleaning Adaptors..... 18

Scissors

Capsule and Corneal..... 21

Conjunctival-Tenotomy..... 23

Iris..... 25

IOL..... 26

Vannas..... 27

Forceps

Toothed..... 31

Notched..... 33

Tying..... 35

Capsulorhexis - Microincision 1mm..... 38

Capsulorhexis - Cross Action 1.5mm..... 39

Capsulorhexis - Cross Action 1.8mm..... 41

Capsulorhexis - Utrata 2.2mm..... 47

Prechoppers..... 49

Nucleus Crackers..... 52

Cilia / Epilation..... 53

Conjunctival..... 55

Corneal..... 57

DMEK..... 58

SMILE..... 60

Miscellaneous..... 61

Needle Holders

Jaw Length 7mm..... 65

Jaw Length 9mm..... 65

Jaw Length 12mm..... 65

Diamond Knives

Straight Retractable..... 69

Angled Retractable..... 69

Micrometer..... 71

LRI..... 73

Choppers, Spatulas and Manipulators

Horizontal Choppers..... 77

Vertical Choppers..... 87

Spatulas..... 91

Hooks..... 95

Manipulators and Rotators..... 98

DMEK..... 105

Femtosecond and LASIK Spatulas..... 107

ICL Manipulators..... 109

SMILE..... 111

Miscellaneous Instruments**Cataract**

Iris Retractor and Cataract Support System..... 115

Capsule Polisher..... 116

Lens Loop and Expressor..... 116

Corneal

Lamellar Dissector..... 117

Trepine Guide and Epithelial Disruptor..... 117

Keratometer and Scleral Support Rings..... 118

Glaucoma

Punches..... 119

Conjunctival Clamps..... 120

Lacrimal

Lacrimal Probes and Dilators..... 121

Oculoplastics

Curettes..... 123

Eye Shields..... 124

Retractors..... 126

Clamps..... 127

Paediatric

Muscle Hooks..... 128

Vitreoretinal

Scleral Depressors..... 129

Membrane Spatula..... 130

Cannula Forceps..... 130

Irrigation & Aspiration

I/A Handpieces (21 and 23 Gauge)..... 133

Aspiration Tips..... 137

Coaxial Handpieces..... 139

Phaco Wrench..... 139

I/A Cannulas and Cannula Handle..... 140

Irrigating Cannulas..... 141

Infusion and AC Maintainers..... 143

Fixation Rings, Gauges and Markers

Fixation Rings.....	147
CCC Markers.....	149
Ring Markers.....	151
Corneal Blade Markers.....	153
LASIK Markers.....	154
DMEK Markers.....	155
Axis Blade Markers.....	156
Degree Gauges.....	157
Toric Markers.....	158
Incision Markers.....	161
Intravitreal Injection Guides.....	163
Calipers.....	164
Incision Gauges.....	165

Injectors & IOL Forceps

IOL Forceps and Injectors.....	185
CTR Injectors.....	188

Sterilising Trays

Sterilising Trays.....	191
Sterilising Tray for Diamond Knives.....	191

PDF Search



Search this PDF by product number or name by pressing CTRL+F (Windows) or CMD+F (Mac).

Specula

Neonatal / Paediatric.....	169
Adult Single Piece.....	171
Adult Adjustable.....	173
Adjustable by Procedure.....	177
Adjustable by Sub-Specialty.....	179
Adjustable Reversible.....	181

Instruments by Sub-Specialty

Essential Cataract.....	195
Glaucoma.....	197
Lacrimal.....	198
Oculoplastics.....	199
Paediatric.....	200
Vitreoretinal.....	201

Instruments by Procedure


DALK - Deep Anterior Lamellar Keratoplasty.....	205
DMEK - Descemet's Membrane Endothelial Keratoplasty.....	206
FLACS - Femtosecond Laser-Assisted Cataract Surgery.....	207
ICL - Implantable Contact Lens.....	207
LASIK - Laser in-situ Keratomileusis.....	208
LRI - Limbal Relaxing Incision.....	208
PK - Penetrating Keratoplasty.....	209
SMILE - Small Incision Lenticule Extraction.....	210
Toric.....	210

Index

.....	215
-------	-----

Find it Quickly

Search our whole range in seconds



Website

Find Your Ideal Instrument

All of our instruments can be found on our website; www.duckworth-and-kent.com

Each instrument has a photograph, tip view(s) and a list of essential information. We want to ensure you are fully informed on an instrument's dimensions and capabilities, before making your purchase.

Three Ways to Search

1 - Product Menu

Select the **products menu** and browse our online catalogue.

2 - Search Bar

Use the **search** bar; type either the **instrument number/instrument name** or **keyword**.

3 - Online PDF Catalogue

Visit the online **PDF version** of our catalogue. You will find this in the **Media section** of our website.

Create a Basket

Creating a basket **is quick and simple**. Browse our instruments and add them to your basket. To review and amend your list, select basket from the main menu.

Once you have selected your instruments and quantities, fill out your contact details and select **'Confirm Quote'**.

Our Customer Service Team will get back to you.



Receive it Quickly

Our dedicated Customer Service Team are always happy to help



Contact Us

Email or Call

To enquire about an instrument or to place an order, please contact our Customer Service Team.

Info@duckworth-and-kent.co.uk

+44 (0)1462 893254

After receiving your enquiry the Customer Service Team will respond quickly via email with the information you have requested.

Delivery

We have vast **experience of shipping worldwide**. Our extensive range of instruments are **stocked to facilitate a quick turnaround**. We aim to ship within 2 weeks of receiving your order.

Repairs

We offer a quick turnaround repair service on our own hand held surgical instruments, including diamond knives.

For more information visit:

www.duckworth-and-kent.com/instrument-repair



GB pricing available for our complete range of titanium reusable ophthalmic instruments.


Visit www.duckworth-and-kent.com

Why we only use Titanium?

The aeronautical industry first embraced the benefits of titanium alloy to its advantage in the 1960s and it was on this basis that Duckworth & Kent was advised by a metallurgist to consider Titanium Alloy (Ti-6Al-4V) for the manufacture of its surgical instruments in the 1970s. Duckworth & Kent took heed of this advice (see benefits below) and applied their precision engineering skills to design and produce high quality medical devices using titanium alloy. Today, Duckworth & Kent is regarded as one of the pioneers in the design and manufacture of titanium ophthalmic instruments.

Key Benefits of Titanium...

- **Non-corrosive and no oxidation**, thereby withstanding repeat sterilisation without any deterioration to strength, edge quality or surface degradation
- **Non-magnetic**, so no interaction with other steel instruments
- **Lightweight**, so ideal for manufacturing well-balanced instruments used in ophthalmic microsurgery
- **Non-reflective** (anodised) surface, thereby reducing instrument glare from microscope lighting



Why we use PolyEtherEtherKetone (PEEK®)?

Duckworth & Kent uses PEEK® in certain instruments where there is the possibility that two titanium components could fuse together through sustained, repetitive contact.

PEEK® polymer was invented by Imperial Chemical Industries in 1978 and the Victrex™PEEK® polymer has become the material of choice for applications requiring exceptional durability with resistance to chemicals, heat, steam and radiation. For this reason, it has long been the gold-standard for medical devices, as it is able to withstand in excess of 2500 hours of high pressure steam sterilisation.

Victrex™ is a registered trademark of Victrex manufacturing Ltd.

PEEK® is a trademark of Victrex plc.

Duckworth & Kent's product range covers a **wide variety of surgical procedures** including:

Cataract

Oculoplastics

Glaucoma


Paediatric

Lacrimal

Vitreoretinal

Find the Ideal Instrument

Find the ideal instrument for you by searching our PDF catalogue.



Search this PDF by product number or name by pressing **CTRL+F (Windows)** or **CMD+F (Mac)**.

Keeping Surgeons at the Leading Edge of Ophthalmology

www.duckworth-and-kent.com | +44 (0) 1462 893 254 | info@duckworth-and-kent.co.uk



Titanium Reusable Ophthalmic Instruments



Microincision


- Anterior Segment
 - Scissors
 - Forceps

- Vitreoretinal
 - Scissors
 - Forceps
 - Cleaning Adaptors



Capsule Scissors

1-625




Capsule Scissors, Curved Shaft, 23 Gauge

- **Sharp tipped straight scissors**
- Curved 23 gauge tube, tube length 19-20mm
- Round squeeze handle, overall length 123mm

Iris Scissors

1-630




Iris Scissors, Curved Shaft, 23 Gauge

- **Blunt tipped straight scissors**
- Curved 23 gauge tube, tube length 19-20mm
- Round squeeze handle, overall length 122mm

IOL Forceps

2-695





IOL Implant Gripping Forceps, 23 Gauge

- Fine end gripping tips
- Curved 23 gauge tube, tube length 19-20mm
- Round squeeze handle, overall length 122mm

SMILE Forceps

2-837




SMILE Lenticule Removal Forceps, 23 Gauge

- Delicate serrated jaws with blunt tips, tip length 3mm
- Curved 23 gauge tube, tube length 19-20mm
- Round squeeze handle, overall length 127mm

DMEK Forceps

2-838




Güell Descemet's Membrane Forceps, 22 Gauge

- 3mm long tips angled 10°
- Curved 22 gauge tube, tube length 17mm
- Round squeeze handle, overall length 123mm

Capsulorhexis Forceps

2-847-4




Capsulorhexis Forceps, Squeeze Handle, 23 Gauge

- Fine pointed tips with platforms
- 0.9mm tip opening
- Curved 23 gauge tube, tube length 19-20mm
- Round squeeze handle, overall length 122mm

ICL Forceps

2-896-2




ICL Forceps, Angled, 20 Gauge

- Flat tip, 1.9mm wide disc with platforms
- Tips angled at **10°**
- 20 gauge, 32.5mm long straight shaft
- Round squeeze handle, overall length 139mm

ICL Forceps

2-896-3



ICL Forceps, Angled, 20 Gauge

- Flat tip, 1.9mm wide disc with platforms
- Tips angled at **15°**
- Upper disc coloured gold for orientation reference
- **Corresponding gold star on handle relates to gold tip**
- 20 gauge, 32.5mm long straight shaft
- Round squeeze handle, overall length 139mm

Find instruments by procedure.

View page 205 to see suggested instruments for the following procedures:

DALK

Deep Anterior Lamellar Keratoplasty



DMEK

Decemet's Membrane Endothelial Keratoplasty



FLACS

Femtosecond Laser-Assisted Cataract Surgery



ICL

Implantable Contact Lens



LASIK

Laser In-Situ Keratomileusis



LRI

Limbal Relaxing Incision



PK

Penetrating Keratoplasty



SMILE

Small Incision Lenticule Extraction




Toric Markers



Vitreoretinal Scissors

1-841




Vitreoretinal Scissors, 23 Gauge

- **Sharp tipped straight micro-scissors**
- 2.2mm long blade
- 23 gauge tube, 32.5mm long straight shaft
- Round squeeze handle, overall length 138mm

Vitreoretinal Scissors

1-842




Vitreoretinal Scissors, Curved, 23 Gauge

- **Sharp tipped curved micro-scissors**
- 2.2mm long blade
- 23 gauge tube, 32.5mm long straight shaft
- Round squeeze handle, overall length 139mm

Vitreoretinal Forceps

2-877




Vitreoretinal Forceps, 23 Gauge

- Fine end gripping tips, tip length 3mm
- 23 gauge tube, 32.5mm long straight shaft
- Round squeeze handle, overall length 139mm

Vitreoretinal Forceps

2-878-1



Vitreoretinal Forceps, 23 Gauge

- Delicate serrated jaws with blunt tips, tip length 3mm
- 23 gauge tube, 32.5mm long straight shaft
- Round squeeze handle, overall length 139mm

Squeeze Handle

6-676




Round Squeeze Handle for Vitreoretinal Interchangeable Instrument Heads

- **Suitable for all Duckworth & Kent Vitreoretinal Interchangeable Instrument Heads**
- Overall Length 92 mm (without head)
- Round squeeze handle

Vitreoretinal Scissors Head

1-841N




Vitreoretinal Scissors Head, 23 Gauge

- **Sharp tipped** straight micro-scissors
- 2.2mm long blade
- Straight 23 gauge tube, length 31.3mm
- Requires Squeeze Handle, ref 6-676
- Detachable tip head for cleaning purposes
- Colour coding for tip and gauge size identification
- Once attached to round squeeze handle, overall length is 144mm
- Supplied with a plastic (PEEK) reusable protective cover

Vitreoretinal Scissors Head

1-842N




Vitreoretinal Scissors Head, Curved, 23 Gauge

- **Sharp tipped curved micro-scissors**
- 2.2mm long blade
- Straight 23 gauge tube, length 31.3mm
- Requires Squeeze Handle, ref 6-676
- Detachable tip head for cleaning purposes
- Colour coding for tip and gauge size identification
- Once attached to round squeeze handle, overall length is 145mm
- Supplied with a plastic (PEEK) reusable protective cover

Vitreoretinal Forceps Head

2-877N




Vitreoretinal Forceps Head, 23 Gauge

- Fine end gripping tips, tip length 3.5mm
- Straight 23 gauge tube, length 31mm
- Requires Squeeze Handle, ref 6-676
- Detachable tip head for cleaning purposes
- Colour coding for tip and gauge size identification
- Once attached to round squeeze handle, overall length is 142mm
- Supplied with a plastic (PEEK) reusable protective cover

Vitreoretinal Forceps Head

2-878-1N



Vitreoretinal Forceps Head, 23 Gauge

- Delicate serrated jaws with blunt tips, tip length 3.5mm
- Straight 23 gauge tube, length 31mm
- Requires Squeeze Handle, ref 6-676
- Detachable tip head for cleaning purposes
- Colour coding for tip and gauge size identification
- Once attached to round squeeze handle, overall length is 142mm
- Supplied with a plastic (PEEK) reusable protective cover

Flushing Adaptor


6-675

Protective Cleaning Cover


- **Suitable for all Duckworth & Kent Vitreoretinal Interchangeable Instrument Heads**
- Protects the Vitreoretinal detachable heads
- Standard luer fitting for flushing attachment
- **See website for full details**




1) Tip head screws on to flushing adaptor



2) Tip head pivots then locks into place securely



3) Syringe or other luer device back flushes tip head



Flushing Adaptor


6-675-1

Small Flushing Adaptor for Vitreoretinal Interchangeable Instruments


- **Suitable for all Duckworth & Kent Vitreoretinal Interchangeable Instrument Heads**
- Standard luer fitting
- **See website for full details**




1) Protective guard fitted to tip (supplied with every head)



2) Tip screws onto adaptor



3) Syringe or other luer device back flushes tip head





Titanium Reusable Ophthalmic Instruments




Scissors

- Capsule and Corneal
- Conjunctival-Tenotomy
- Iris
- IOL
- Vannas



Capsule Scissors

1-116




Capsule Scissors, Curved

- **Blunt tips, curved blades**
- Cut length 6mm, tip to pivot length 11mm
- Flat handle, overall length 99mm

Capsule Scissors

1-625




Capsule Scissors, Curved Shaft, 23 Gauge

- **Sharp tipped straight scissors**
- **Curved 23 gauge tube**, tube length 19-20mm
- Round squeeze handle, overall length 123mm

Corneal Scissors

Best Seller 1-118




Castroviejo Miniature Corneal Scissors, Curved

- **Blunt tips, curved blades**
- Universal cutting blades
- Cut length 6mm, tip to pivot length 11mm
- Flat handle, overall length 115mm

Corneal Scissors

1-400





Castroviejo Corneal Scissors, Curved Right

- **Blunt tips, curved blades, right**
- Cut length 5mm, tip to pivot length 10mm
- Flat handle, overall length 97mm

Corneal Scissors

1-401




Castroviejo Corneal Scissors, Curved Left

- **Blunt tips, curved blades, left**
- Cut length 5mm, tip to pivot length 10mm
- Flat handle, overall length 97mm


Corneal Scissors

1-219



Anwar Corneal Scissors, Left

- Blunt tips, curved blades
- **Longer outer blade with smooth tip**
- Cut length 5mm, tip to pivot length 11mm
- Round handle, overall length 107mm



1-218

Anwar Corneal Scissors, Right

**Tip**

Sharp or Blunt options available.

Tip to Pivot

Length 20mm; 1-227 offers tip to pivot of 21mm

Blade

Straight or Curved options available.

Cut Length

Cut length 10mm; 1-500B offers a cut length of 9mm

Blade Shape

Rounded, Fine or Standard options available.

Handle

All scissors shown have a flat handle design.
Full length of closed scissors 115mm.

More Details...


For full product details visit:
duckworth-and-kent.com

Instrument Comparison Chart

Product Name - Westcott Scissors and Conjunctival Scissors (1-227)


Tip	Blade	Blade Shape	Additional Information	
Sharp	Curved	Standard	Westcott Style Stitch Scissors, Curved	1-501
	Straight	Standard	Westcott Style Stitch Scissors	1-500
Blunt	Curved	Rounded	Westcott Style Tenotomy Scissors, Curved	1-510
		Fine	Osher Universal Conjunctival Micro Scissors	1-227
	Straight	Standard	Westcott Style Stitch Scissors	1-500B

Best Seller



Iris Scissors

1-630




Iris Scissors, Curved Shaft, 23 Gauge

- **Blunt tipped straight scissors**
- **Curved 23 gauge tube**, tube length 19-20mm
- Round squeeze handle, overall length 122mm

Iris Scissors

1-211




Iris Scissors, Curved

- **Sharp tips, curved blades**
- Cut length 4mm, tip to pivot length 11mm
- Round handle, overall length 107mm


Iris Scissors

1-211B




Iris Scissors, Curved

- **Blunt tips, curved blades**
- Cut length 4mm, tip to pivot length 11mm
- Round handle, overall length 107mm




Osher IOL Cutter

- **Blunt tips with micro-serrated blades**
- Minimum incision size 2.8mm
- Cut length 5mm
- Tip to pivot length 9.5mm
- Flat handle, overall length 98mm



Osher IOL Cutter, Angled

- **Blunt tips with micro-serrated blades**
- Minimum incision size 2.8mm
- Cut length 5mm
- Tip to pivot length 9.5mm
- Flat handle, overall length 94mm

**Tip**

Sharp or Blunt options available.

Blade

Straight, Curved or Angled options available.

Tip to Pivot

Defined length of exposed blade when instrument is open and in a resting state.

Cut Length

Cut length between 5mm and 6mm; 1-120 and 1-121 offers a cut length of 8mm

Handle

All scissors shown have a flat handle design. Full length of closed scissors between 97mm & 103mm.

More Details...


For full product details visit:
duckworth-and-kent.com


Instrument Comparison Chart

Product Name - Vannas Scissors

Tip	Blade	Tip to Pivot	Additional Information	
Sharp	Straight	9mm	Vannas Scissors	1-110
		15mm	Vannas Scissors	1-120
	Curved	9mm	Vannas Scissors, Curved	1-111
		15mm	Vannas Scissors, Curved	1-121
	Angled	9mm	Vannas Scissors, Angled	1-112
		11.5mm	Gills-Vannas Scissors, Angled	1-312
Blunt	Curved	9mm	Vannas Scissors, Curved	1-111B

Best Sellers





Titanium Reusable Ophthalmic Instruments



Forceps

- Toothed
- Notched
- Tying
- Capsulorhexis:
 - Microincision 1mm
 - Cross action 1.5mm
 - Cross action 1.8mm
 - Utrata 2.2mm
- Prechoppers
- Nucleus Crackers
- Cilia / Epilation
- Conjunctival
- Corneal
- DMEK
- SMILE
- Miscellaneous



Teeth

1 into 2 teeth, 6mm tying platform.

0.1mm, 0.12mm, 0.3mm or 0.5mm teeth size,
Standard or Flat options available.

Shaft Style

Straight, Curved or Colibri (45° angled tip length)
options available.

Engraved Symbol

Toothed



E Range

Our engineers use state-of-the art machinery to
produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision**
in tip detail and **unparalleled performance** for the
end user.


Design registration number 004383396-0001

Instrument Comparison Chart

Product Name - Toothed Forceps

Tooth	Shaft Style	Handle Type	Additional Information	
0.1mm	Straight	Short Flat	Bonn Toothed Forceps	2-110-1E
0.12mm Flat	Straight	Short Flat	Toothed Forceps	2-110-3E
0.12mm	Straight	Short Flat	Bonn Toothed Forceps	2-110E
		Long Flat	Castroviejo Toothed Forceps	2-114E
		Long Round	Toothed Forceps	2-114ER8
	Curved	Short Flat	Bonn Toothed Forceps	2-111E
	1.5mm Colibri	Micro Flat	Troutman-Barraquer Toothed Forceps	2-214E
	0.8mm Colibri	Micro Flat	Troutman-Barraquer Toothed Forceps	2-215E
	2mm Colibri	Short Flat	Troutman-Barraquer Toothed Forceps	2-132E
		Long Flat	Toothed Colibri Forceps	2-135E
		Long Round	Toothed Colibri Forceps	2-135ER8
	10mm Angled	Short Flat	McPherson Toothed Forceps	2-144E
0.3mm	Straight	Long Flat	Toothed Forceps	2-116E
		Short Flat	Bonn Toothed Forceps	2-118E
0.5mm	Straight	Long Flat	Castroviejo Toothed Forceps	2-117E
0.5mm Flat	Straight	Long Flat	Rabkin Blepharoplasty Tissue Forceps	2-108E

Best Sellers



(overall length)



Notched Tip

Notched tip with 6mm tying platform, 0.25mm or 0.3mm notch sizes available.

Shaft Style

Straight, Curved or Colibri (45° angled tip length) options available.

Engraved Symbol

Notched



E Range

Our engineers use state-of-the-art machinery to produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision** in tip detail and **unparalleled performance** for the end user.

Design registration number 004383396-0001


Instrument Comparison Chart

Product Name - Notched Forceps


Notch	Shaft Style	Handle Type	Additional Information
0.25mm	Straight	Short Flat	Pierson Notched Forceps 2-100E
		Long Flat	Pierson Notched Forceps 2-104E
	Curved	Short Flat	Pierson Notched Forceps 2-101E
		Long Flat	Pierson Notched Forceps 2-103E
	1.5mm Colibri	Micro Flat	Pierson Notched Forceps 2-200E
	2mm Colibri	Short Flat	Pierson Notched Forceps 2-130E
0.3mm	Straight	Short Flat	Pierson Notched Forceps 2-100-1E

Best Seller


Notch / Tying Platform



Shaft Style



Handle





Tip

0.3mm standard (S), 0.2mm delicate (D) or 0.6mm heavy (H) options available.

Tying Platform

4mm, 6mm or 9.5mm options available.

Shaft Style

Straight, Curved or Angled (with varying lengths) options available.

Engraved Symbol

Tying



E Range

Our engineers use state-of-the art machinery to produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision** in tip detail and **unparalleled performance** for the end user.










Design registration number 004383396-0001

Instrument Comparison Chart

Product Name - Tying Forceps

Platform & Tip	Shaft Style	Handle Type	Additional Information
4mm (S)	Angled 5mm	Short Flat	Kelman-McPherson Tying Forceps 2-520E
6mm (S)	Straight	Short Flat	Tying Forceps 2-500E
		Long Flat	Harms-Tubingen Tying Forceps 2-504E
		Long Round	Tying Forceps 2-504ER8
	Curved	Short Flat	Tying Forceps 2-501E
		Long Flat	Tying Forceps 2-505E
		Long Round	Tying Forceps 2-505ER8
	Angled 7mm	Short Flat	Kelman-McPherson Tying Forceps 2-522E
		Long Flat	Kelman-McPherson Tying Forceps 2-527E
	Angled 10mm	Short Flat	Kelman-McPherson Tying Forceps 2-524E
		Long Flat	Kelman-McPherson Tying Forceps 2-529E
	Angled 12mm	Short Flat	Kelman-McPherson Tying Forceps 2-526E
	6mm (H)	Straight	Short Flat
6mm (D)	Straight	Short Flat	Tying Forceps 2-500-2E
9.5mm (S)	Angled 10.5mm	Short Flat	Kelman-McPherson Tying Forceps 2-524-1E
		Long Round	Tying Forceps 2-529-1ER8

Best Sellers

Tying Platform & Tip Size	Shaft Style	Handle (overall length)
<p>Delicate (D)</p>  <p>0.2mm</p>	<p>Straight</p> 	<p>Short Flat 90mm</p> 
<p>Standard (S)</p>  <p>0.3mm</p>	<p>Curved</p> 	<p>Long Flat 115mm</p> 
<p>Heavy (H)</p>  <p>0.6mm</p>	<p>Angled 45°</p> 	<p>Long Round 115mm</p> 

NEW

Micro

Incision Instruments




THINK SMALL

View our full range of microincision instruments starting on [page 11](#)

Capsulorhexis Forceps, Squeeze Handle

2-847-4

**1.0mm Incision**

Utilising a squeeze-handle mechanism to enable the surgeon to initiate and perform a curvilinear capsulorhexis through a paracentesis (1.0mm) incision.


Curved 23 Gauge Shaft

The gentle curve to the shaft offers the surgeon an ergonomic and easier approach to guiding the forceps through the microincision wound than a conventional straight shaft.

Precision Grasping

The squeeze-handle mechanism gently pushes the shaft over the tip allowing for precise grasping of the anterior capsule.

Tip Detail



- Fine pointed tips with platforms
- Overall length 120mm



Width at Pivot Box 1.2mm

Designed to fit comfortably through any incision down to 1.5mm.

Tip Details

Sharp and serrated tips, angled 45° from shaft.
Extra sharp and serrated tips, angled 80° from shaft.

Marked Scale

Marks on the shaft at 2.5mm and 5mm from tip denote the desired radius and diameter of the capsulorhexis.

E Range

Our engineers use state-of-the art machinery to produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision** in tip detail and **unparalleled performance** for the end user.

Design registration number 004383396-0001

Instrument Comparison Chart

Product Name - Capsulorhexis Forceps

Tip	Tip to Pivot	Handle	Additional Information
Sharp	8.5mm	Long Flat	Inamura Capsulorhexis Forceps 2-716GNE
		Long Round	Inamura Capsulorhexis Forceps 2-716GNR8E
	9.5mm	Long Flat	Inamura Capsulorhexis Forceps 2-716GN-3E
		Long Round	Inamura Capsulorhexis Forceps 2-716GNR8-3E
	10.5mm	Long Flat	Inamura Capsulorhexis Forceps 2-716GN-5E
		Long Round	Inamura Capsulorhexis Forceps 2-716GNR8-5E
	11mm	Long Round	Inamura Capsulorhexis Forceps (*Galon) 2-716GNR8-6E
	ExtraSharp	8.5mm	Long Flat
Long Round			Inamura Capsulorhexis Forceps 2-716GNR8-2E
9.5mm		Long Flat	Inamura Capsulorhexis Forceps 2-716GN-4E
		Long Round	Inamura Capsulorhexis Forceps 2-716GNR8-4E

Best Sellers

Tip

Sharp 45°




Extra Sharp 80°



Marked Scale & Variations

Standard marks at 2.5 & 5mm



*Galon

2-716GNR8-6E marks at 2.5 & 5mm



Handle

(overall length)

Long Flat 110 - 111mm



Long Round 110 - 111mm





Tip Details

Sharp and serrated tips, angled 45° from shaft.



Width at Pivot Box 1.5mm

Designed to fit comfortably through any incision down to 1.8mm.

Marked Scale

Marks on the shaft denotes the desired radius and diameter of the capsulorhexis.

E Range

Our engineers use state-of-the-art machinery to produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision** in tip detail and **unparalleled performance** for the end user.


Design registration number 004383396-0001

Instrument Comparison Chart

Product Name - Capsulorhexis Forceps

Shaft	Tip to Pivot	Handle	Additional Information
Straight	9.5mm	Long Flat	Inamura Capsulorhexis Forceps 2-716GE-3
		Long Round	Inamura Capsulorhexis Forceps 2-716GER8-3
Curved	8.5mm	Long Flat	Inamura Capsulorhexis Forceps 2-716GE-2
		Long Round	Inamura Capsulorhexis Forceps 2-716GER8-2
	9.5mm	Long Flat	Inamura Capsulorhexis Forceps 2-716GE
		Long Round	Inamura Capsulorhexis Forceps 2-716GER8
	10.5mm	Short Flat	Inamura Capsulorhexis Forceps 2-716GE-1S
		Long Flat	Inamura Capsulorhexis Forceps 2-716GE-1
		Short Round	Inamura Capsulorhexis Forceps 2-716GER8-1S
		Long Round	Inamura Capsulorhexis Forceps 2-716GER8-1

Best Sellers





Width at Pivot Box 1.5mm

Designed to fit comfortably through any incision down to 1.8mm.

Tip Details

Sharp and serrated tips, angled 45° from shaft.



Marked Scale

Marks on the shaft denote the desired radius and diameter of the capsulorhexis. Calladine-Inamura offer marks at 2.5mm and 5mm from tip, Jones-Inamura offer 6 marks at 1mm increments from tip.

E Range

Our engineers use state-of-the-art machinery to produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision** in tip detail and **unparalleled performance** for the end user.


Design registration number 004383396-0001

Instrument Comparison Chart

Product Name - Capsulorhexis Forceps

Tip to Pivot	Marked Scale	Handle	Additional Information
10mm	2.5 & 5mm	Short Flat	Calladine-Inamura Capsulorhexis Forceps 2-716G-9SE
		Long Flat	Calladine-Inamura Capsulorhexis Forceps 2-716G-9E
		Short Round	Calladine-Inamura Capsulorhexis Forceps 2-716G-9RSE
		Long Round	Calladine-Inamura Capsulorhexis Forceps 2-716G-9RE
11mm	2.5 & 5mm	Short Flat	Calladine-Inamura Capsulorhexis Forceps 2-716G-8SE
		Long Flat	Calladine-Inamura Capsulorhexis Forceps 2-716G-8E
		Short Round	Calladine-Inamura Capsulorhexis Forceps 2-716G-8RSE
		Long Round	Calladine-Inamura Capsulorhexis Forceps 2-716G-8RE
	6x 1mm	Long Flat	Jones-Inamura Capsulorhexis Forceps 2-716G-10E
		Long Round	Jones-Inamura Capsulorhexis Forceps 2-716G-10RE

Best Sellers





Width at Pivot Box 1.5mm

Designed to fit comfortably through any incision down to 1.8mm.

Tip Details

Sharp and Blunt options available, angled 45° from shaft.

Extra Curved Shaft

The Mackool-Inamura capsulorhexis forceps range has an increased curvature to the tips.

E Range

Our engineers use state-of-the art machinery to produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision** in tip detail and **unparalleled performance** for the end user.


Design registration number 004383396-0001

Instrument Comparison Chart

Product Name - Capsulorhexis Forceps

Tip	Tip to Pivot	Handle	Additional Information
Sharp	11mm	Long Flat	Mackool-Inamura Capsulorhexis Forceps 2-706G-1E
		Long Round	Mackool-Inamura Capsulorhexis Forceps 2-706G-1RE
Blunt	11mm	Long Flat	Mackool-Inamura Capsulorhexis Forceps 2-706GE
		Long Round	Mackool-Inamura Capsulorhexis Forceps 2-706GRE

Best Seller





Tip Details

Sharp and serrated tips, angled 45° from shaft. Tip to angle length 13mm.



Marked Scale

Marks on the shaft at 2.5mm and 5mm from tip denote the desired radius and diameter of the capsulorhexis; 2-712-4ER8 offers 8 x 1mm marks.

E Range

Our engineers use state-of-the art machinery to produce one piece instruments in titanium.

Our **single piece design** ensures **micron precision** in tip detail and **unparalleled performance** for the end user.


Design registration number 004383396-0001

Instrument Comparison Chart

Product Name - Capsulorhexis Forceps


Marked Scale	Shaft	Handle Type	Additional Information
2.5 & 5mm	Straight	Short Flat	Utrata Capsulorhexis Forceps 2-719-3E
		Long Flat	Utrata Capsulorhexis Forceps 2-719-4E
		Long Round	Utrata Capsulorhexis Forceps 2-714-3ER8
	Curved	Short Flat	Utrata Capsulorhexis Forceps 2-718-3E
		Long Round	Utrata Capsulorhexis Forceps 2-712-3ER8
8 x 1mm	Curved	Long Round	Utrata Capsulorhexis Forceps 2-712-4ER8

Best Sellers



Prechopper Forceps

2-815E




Akahoshi Prechopper Forceps

- Tips fully open to 2.5mm
- **Sharp pointed tips**
- 1.8mm maximum width at incision point
- Straight shafts, reverse cross action style
- Round handle, overall length 120mm
- **E Range single piece handle**
Design registration number 004383396-0001


Prechopper Forceps

Best Seller 2-817E



Salvitti-Akahoshi Micro Prechopper Forceps, Small Tip

- Tips fully open to 2.5mm
- **Flattened tips in vertical plane, tip height 1.3mm**
- 1.8mm maximum width at incision point
- Straight shafts, reverse cross action style
- Round handle, overall length 119mm
- **E Range single piece handle**
Design registration number 004383396-0001




Large Tip

2-817-1E

- **Flattened tips in vertical plane, tip height 1.5mm**

Prechopper Forceps

2-818E




Inamura Talon Prechopper Forceps

- Tips fully open to 2.5mm
 - **Flattened tips in vertical plane, tip height 1.6mm**
 - 1.8mm maximum width at incision point
 - Straight shafts, reverse cross action style
 - Round handle, overall length 119mm
 - **E Range single piece handle**
- Design registration number 004383396-0001



Prechopper Forceps

2-820-1E



Paddle Prechopper Forceps

- Tips fully open to 2.5mm
 - Arrow tip shape for penetrating nucleus
 - **3mm flattened paddle area of tips for nucleus splitting, tip height 1mm**
 - 1.8mm maximum width at incision point
 - Straight shafts, reverse cross action style
 - Round handle, overall length 119mm
 - **E Range single piece handle**
- Design registration number 004383396-0001




Angled

2-820E

- **45° angled reverse cross action shaft, tip to angle length 13.5mm**

Prechopper Forceps

2-821E




CataPulse® Mini Prechopper

- **Tips fully open to 1.9mm**
- **Flattened tips in vertical plane, tip height 1.5mm**
- **1.4mm maximum width at incision point**
- Straight shafts, reverse cross action style
- Round handle, overall length 119mm
- **E Range single piece handle**
Design registration number 004383396-0001

Nucleus Sustainer

6-095




Akahoshi Nucleus Sustainer

- 0.5mm diameter bulbous tip, tip length 1.7mm
- 45° angled shaft, tip to angle length 10mm
- Short round handle, overall length 109mm
- **For use in conjunction with prechopper forceps**

Nucleus Cracker

2-802E




Brown Nucleus Cracker

- 1.1mm x 1.2mm paddle style tips
- 30° angled shafts, tip to angle length 14.5mm
- Flat handle, cross action tips, overall length 114mm
- **E Range single piece handle**
Design registration number 004383396-0001

Nucleus Cracker

2-803E




Denman-Brown Nucleus Cracker

- 1.1mm x 1.2mm paddle style tips
- **Bulge along lower edge of paddle**
- 30° angled shafts, tip to angle length 14.5mm
- Flat handle, cross action tips, overall length 114mm
- **E Range single piece handle**
Design registration number 004383396-0001

Cilia Forceps

Best Seller 2-2195E





Single Piece Epilation Forceps

- Tapered, smooth tips
- 30° angled shafts, tip to angle length **7mm**
- **Short flat handle, overall length 90mm**
- **E Range single piece instrument**

Design registration number 004383396-0001


Cilia Forceps

2-195



Beaupre Cilia Forceps

- Tapered, smooth tips
- 30° angled shafts, **tip to angle length 10.5mm**
- Flat cross action handle, overall length 105mm




2-195-1

Otaka Cilia Forceps

- **Tapered, smooth oval tips**
- Flat cross action handle, overall length 105mm

Cilia Forceps

2-196




KY Cilia Forceps

- Flat smooth tips
- 30° angled shafts, **tip to angle length 8.5mm**
- Round handle, overall length 111mm

Conjunctival Forceps

2-167E




Osher Conjunctival Forceps

- Smooth platforms
- Straight shafts
- Flat handle, overall length 115mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Conjunctival Forceps

2-500-4E





Chihara Conjunctival Forceps

- 6mm platforms
- Serrated tips
- Straight shafts
- Flat handle, overall length 90mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Conjunctival Forceps

2-501-2E




Chihara Conjunctival Forceps, Curved

- 6mm platforms
- Serrated tips
- **Curved shafts**
- Flat handle, overall length 90mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Conjunctival Forceps

2-503E




Otaka Conjunctival Forceps

- Textured platforms
- Straight shafts
- Grooved channel along platform length, stopping just before tip
- Flat handle, overall length 90mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Utility Forceps

Best Seller

2-510-1E




Moorfields Utility Forceps

- Delicate serrated tips, 1mm wide
- Straight shafts
- Flat handle, overall length 115mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Suture Forceps

2-502E




Khaw Suture Control Forceps

- **5mm highly polished tying platforms**
- Straight shafts
- Flat handle, overall length 90mm
- **For use in Khaw's adjustable Suture Control technique**
- **E Range single piece instrument**
Design registration number 004383396-0001

Toothed Forceps

2-170E




Double Toothed Colibri Forceps, 0.12mm

- Two 0.12mm, 1 into 2 teeth
- 2 point fixation, 1mm separated
- Colibri style shafts
- Flat handle, overall length 90mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Toothed Forceps

2-185




Maumenee Toothed Forceps, 0.12mm

- 0.12mm, 1 into 2 teeth, tip length 2mm
- 20° angled shafts, tying platforms 10mm
- Cross action modified Colibri style shafts
- Round cross action handle, overall length 127mm

Flap Forceps

2-795E




Flap Lifting Forceps

- Small flat ring tips
- 45° angled shafts, tip to angle length 4mm
- Flat handle, overall length 90mm
- **E Range single piece instrument**
Design registration number 004383396-0001

DMEK Forceps

2-285E




DMEK Descemet's Stripping Forceps

- Smooth platforms
- **Straight shafts**
- Short flat handle, overall length 90mm
- **E Range single piece instrument**
Design registration number 004383396-0001

DMEK Forceps

2-287E




DMEK Descemet's Stripping Forceps, Angled

- Smooth platforms
- **45° angled shafts**
- Long flat handle, overall length 115mm
- **E Range single piece instrument**
Design registration number 004383396-0001

DMEK Forceps

2-787-1E




DMEK Descemet's Stripping Forceps, Cross Action

- Upward facing angled tip
- Serrated interlocking tips
- Tip to pivot point 9.8mm
- 1.5mm width at pivot box
- Tips angled 45° to handle
- Flat handle, overall length 113mm
- **E Range single piece handle**
Design registration number 004383396-0001

DMEK Forceps

2-838




Güell Descemet's Membrane Forceps

- 3mm long tips angled 10° upwards
- **Curved 22 gauge tube, tube length 19-20mm**
- Round squeeze handle, overall length 123mm

SMILE Forceps


Best Seller

2-836E



SMILE Lenticule Removal Forceps

- 4mm long serrated jaws
- 30° angled shafts, tip to angle length 9mm
- Long handle, overall length 115mm
- **E Range single piece instrument**
Design registration number 004383396-0001




2-835E

NeoVize SMILE Forceps

- 30° angled shafts
- Flat handle, overall length 90mm

SMILE Forceps

2-837




SMILE Lenticule Removal Forceps, 23 Gauge

- **Delicate** serrated jaws with blunt tip, tip length 3mm
- Curved **23 gauge** tube, tube length 19-20mm
- Round squeeze handle, overall length 127mm

SMILE Forceps

2-839




Chan SMILE Dissecting Forceps

- Curved shaft, tip to pivot point 8mm
- Cross action tips, 1.2mm width at pivot box
- Round handle, overall length 107mm

ICL Forceps

Best Seller 2-770E



Deitz ICL Loading Forceps


- Highly polished outer jaws
- Inside jaws textured, 4mm tip angle
- 20° angled shafts, tip to angle length 14mm
- Flat handle, overall length 88mm

- **E Range single piece instrument**

Design registration number 004383396-0001


ICL Forceps

2-896-2



ICL Forceps, Angled

- Flat tip, 1.9mm wide disc with platforms
- **Tips angled at 10°**
- 20 gauge, 32.5mm long straight shaft
- Round squeeze handle, overall length 139mm





2-896-3

ICL Forceps, Angled

- **Tips angled at 15°**
- Corresponding gold star on handle relates to gold tip

Nucleus Forceps

2-796E



Nucleus Removal Forceps


- 4mm serrated tips
- 30° angled shafts, tip to angle length 14mm
- Flat handle, overall length 90mm

- **E Range single piece instrument**

Design registration number 004383396-0001

IOL Forceps

2-695




IOL Implant Gripping Forceps, 23 Gauge

- Fine end gripping tips
- Curved 23 gauge tube, tube length 19-20mm
- Round squeeze handle, overall length 122mm

Plain Forceps

2-900E



Jewellers Forceps


- Plain tips without tying platforms
- Straight shafts
- Flat handle, overall length 90mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Engraved Symbol
Plain / Jewellers



Toothed Forceps

2-160E



Troutman Superior Rectus Forceps, 0.5mm

- 0.5mm, 1 x 2 teeth
- 45° angled shafts, tip to angle length 10mm
- Flat handle, overall length 115mm
- **E Range single piece instrument**
Design registration number 004383396-0001

Engraved Symbol
Toothed





Titanium Reusable Ophthalmic Instruments



Needle Holders

- Jaw Length 7mm
- Jaw Length 9mm
- Jaw Length 12mm



**Jaw**

Straight or Curved options in 7mm, 9mm or 12mm jaw lengths.

Tip

Standard, Blunt, Delicate or Heavy options available.

Spring

All are tag springs, other than the Barraquer style, which have hinge springs.

Handle

- Short handles have closed length between 108mm and 110mm.
- Standard handles 119mm in length.
- Long handles have closed length between 136mm and 140mm.

More Details...




For full product details visit:
duckworth-and-kent.com

Instrument Comparison Chart

Product Name - Needle Holder


Jaw	Tip	Handle	Additional Information	With Lock	Without Lock
7mm Straight	Delicate	Short	Needle Holder	3-208	3-207
7mm Curved	Delicate	Short	Needle Holder	3-206	3-205
		Standard	Needle Holder	3-423	3-422
9mm Straight	Standard	Short	Needle Holder	-	3-201
9mm Curved	Standard	Short	Needle Holder	3-202	3-203
		Long	Needle Holder	33-202	33-203
	Blunt	Short	Needle Holder	3-222	3-223
		Long	Needle Holder	33-222	33-223
	Delicate	Short	*Barraquer Needle Holder	3-302	3-303
		Long	*Barraquer Needle Holder	-	33-303
12mm Curved	Heavy	Long	Needle Holder	-	33-225

Best Sellers





Titanium Reusable Ophthalmic Instruments



Diamond Knives

- Straight Retractable
- Angled Retractable
- Micrometer
- LRI





Blade Position

Straight or Angled options available.

Blade Style

Several different blade configurations available.

Handle

Sleek design with single position fully exposing the diamond.

Pearce Retractable (4-600) offers a second position 10mm shaft extension.

Straight overall length 124mm in exposed position.

Angled overall length 136mm in exposed position.

More Details...

For full product details visit:
duckworth-and-kent.com


Instrument Comparison Chart


Product Name - Diamond Knife

Blade Position	Blade Style	Blade Width	Additional Information	
Straight	45° Single	1mm	Retractable Diamond Knife	4-100
	Trifacet	1mm	Retractable Diamond Knife	4-115
	Lance	1mm	Retractable Diamond Knife	4-122
	30° Single	1mm	Retractable Diamond Knife	4-125
	45° Double	1mm	Retractable Diamond Knife	4-590
			Pearce Retractable Diamond Knife	4-600
Angled	Dome	2mm	Angled Retractable Diamond Knife	4-480
	Spear	2.2mm	Angled Retractable Diamond Knife	4-406
		2.4mm	Angled Retractable Diamond Knife	4-416
		2.5mm	Angled Retractable Diamond Knife	4-415
		2.8mm	Angled Retractable Diamond Knife	4-430
		3mm	Angled Retractable Diamond Knife	4-440
		3.2mm	Angled Retractable Diamond Knife	4-460
	Tapered Spear	2.7-2.9mm	Angled Retractable Diamond Knife	4-438


Best Sellers

Blade Style





Micrometer Handle



Blade Style

Five different blade configurations available.

Handle

Micrometer of the highest precision, with an easy legible scale. Overall length 105mm in retracted position.

Blade Depth

Blade depth can be set from 0 to 1mm with a scale measuring 0.01mm (10 micron) increments.

Blade Depth Setting instructions

If a blade depth of 600 microns is required, the main scale on the barrel will need to be set at 500 microns and the secondary scale on the thimble will need to be set at 100 microns. The addition of the 2 scales will give the correct depth.

i.e.: Main scale + Secondary scale = Total depth
e.g.: 500 + 100 = 600 microns.

More Details...

For full product details visit:
duckworth-and-kent.com

Instrument Comparison Chart


Product Name - Diamond Knife

Blade Style	Blade Width	Additional Information	
45° Single Edge	1mm	Micrometer Diamond Knife	5-300-1
45° Double Edge	1mm	Micrometer Diamond Knife	5-310-1
Rectangular	0.8mm	Micrometer Diamond Knife	5-329-1
	1mm	Thornton Micrometer Diamond Knife	5-330-1
Bifacet	1mm	Micrometer Diamond Knife	5-340-1
Triple Edge Arcuate	0.5mm	Thornton Micrometer Diamond Knife	5-362
	1mm	Thornton Micrometer Diamond Knife	5-360-1


Best Sellers

Blade Style


Single Edge




Double Edge




Rectangular



Bifacet




Triple Edge Arcuate





Micrometer Handle



Blade Style

Wallace, Packard-Rosen or Micrometer style options available.

Handle

Micrometer of the highest precision, with an easy legible scale. Overall length 105mm to 120mm in retracted position.

Blade Width

All blades have a width of 1mm, with a 0.2mm front flap at tip.

Blade Preset Depth

Several options available.

Micrometer Blade Depth

Blade depth can be set from 0 to 1mm with a scale measuring 0.01mm (10 micron) increments.

Blade Depth Scale

If a blade depth of 600 microns is required, the main scale on the barrel will need to be set at 500 microns and the secondary scale on the thimble will need to be set at 100 microns. The addition of the 2 scales will give the correct depth.

i.e.: Main scale + Secondary scale = Total depth
e.g.: 500 + 100 = 600 microns.

More Details...

For full product details visit:
duckworth-and-kent.com

Instrument Comparison Chart

Product Name - Diamond Knife

Blade Preset Depth	Overall Length	Additional Information	
600microns	120mm	Wallace LRI Diamond Knife	4-620
550microns	120mm	Wallace LRI Diamond Knife	4-620-2
500microns	120mm	Wallace LRI Diamond Knife	4-620-3
450microns	120mm	Wallace LRI Diamond Knife	4-620-4
600microns	118mm	Packard-Rosen LRI Diamond Knife	4-621


Micrometer

Blade Preset Depth	Overall Length	Additional Information	
Micrometer	105mm	LRI Micrometer Diamond Knife	5-305-1


Best Seller

Blade Style


Wallace




Packard-Rosen



Micrometer





Titanium Reusable Ophthalmic Instruments




Choppers, Spatulas and Manipulators

- Horizontal Choppers
- Vertical Choppers
- Spatulas
- Hooks
- Manipulators and Rotators
- DMEK
- Femtosecond and LASIK Spatulas
- ICL Manipulators
- SMILE

Horizontal Choppers


Horizontal choppers have a cutting edge which enables the chopper to cut through the nucleus in a horizontal direction.

The inserts are intended to illustrate the tip of a chopper and the direction of its cutting edge(-s) in relation to the shaft of the instrument as it is designed to be used.



Side View

Our simplified 2D side view shows the shape of the instrument and size of the blade




Cutting Edge Angle

Dashed line represents the axis of the shaft. Hatched area shows cross-section view of chopper tip shape. Degree refers to angle of chopper cutting edge in relation to shaft axis




Cutting Direction

Illustrates direction and angle that the instrument is designed to cut, viewed from above





Symmetrical




Asymmetrical

For use through the specified side port



Nucleus Chopper

6-072-1





Bordeianu Nucleus Chopper

- Sharp inner sides of tip
- Tip length 1.75mm
- **Cutting edge 60° to axis**
- Tip to angle length 10mm
- 60° angled shaft
- **0.55mm constant diameter shaft to reduce leakage**
- Round handle, overall length 124mm
- **Designed for right-handed phaco surgeons to be used through the left side port**

Nucleus Chopper

6-074-1



Araslan Nucleus Chopper and Spatula

Nucleus Cutter



- Sharp point
- Tip length 1.2mm
- **Cutting edge 30° to axis**
- Tip to angle length 9.8mm
- 60° angled curved shaft
- **Designed for right-handed phaco surgeons to be used through the left side port**

Spatula

- 0.4mm diameter blunt tip spatula
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 119mm

Nucleus Chopper

6-075



Packard 'Fat Boy' Nucleus Chopper and Capsule Retractor

Nucleus Cutter


- Straight, sharp inner sides of tip
- Tip length 1.26mm
- **Cutting edge 0° to axis**
- 50° angled shaft
- Tip to angle length 10mm
- **Tapered shaft to reduce leakage**

Capsule Retractor

- 0.25mm tip
- Tip to angle length 10mm
- 45° angled shaft
- **Tapered shaft to reduce leakage**
- Round handle, overall length 130mm

Nucleus Chopper

6-075-1




Packard 'Fat Boy' Nucleus Chopper

- Straight, sharp inner sides of tip
- Tip length 1.24mm
- **Cutting edge 0° to axis**
- Tip to angle length 10mm
- 50° angled shaft with slight curve
- Round handle, overall length 118mm

Nucleus Chopper

Best Seller 6-076




Rosen Nucleus Splitter

- Straight, sharp inner sides of tip
- **Tip length 0.8mm**
- **Cutting edge 45° to axis**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm
- **Designed for right-handed phaco surgeons to be used through the left side port**


Nucleus Chopper

6-079




Green Nucleus Chopper

- Curved, sharp inner sides of tip
- Tip length 1mm
- **Cutting edge 45° to axis**
- Tip to angle length 9mm
- 65° angled shaft
- Round handle, overall length 117mm
- **Designed for right-handed phaco surgeons to be used through the left side port**




Nucleus Chopper

6-079-1




Green Nucleus Chopper

- Curved, sharp inner sides of tip
- Tip length 1mm
- **Cutting edge 45° to axis**
- Tip to angle length 9mm
- 65° angled shaft
- Round handle, overall length 117mm
- **Designed for left-handed phaco surgeons to be used through the right side port**



Nucleus Chopper

Best Seller 6-080





Nucleus Chopper

- Straight, sharp inner sides of tip
- Tip length 1.25mm
- **Cutting edge 0° to axis**
- Tip to angle length 14mm
- 45° angled shaft
- Round handle, overall length 122mm

Nucleus Chopper

6-080-2



Nucleus Chopper and Rotator

Nucleus Chopper


- Straight, sharp inner sides of tip
- Tip length 1.25mm
- **Cutting edge 0° to axis**
- Tip to angle length 14mm
- 45° angled shaft

Nucleus Rotator

- 1.25 x 1mm blunt tip
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 129mm

Nucleus Chopper

6-080-3





Find! Nucleus Chopper

- Straight, sharp inner sides of tip
- Tip length 1.25mm
- **Cutting edge 0° to axis**
- Tip to angle length 14mm
- 45° angled shaft
- Round handle, overall length 122mm
- **Parallel shaft to reduce leakage**

Nucleus Chopper

6-080-4



Find! Nucleus Chopper and Spatula

Nucleus Chopper


- Straight, sharp inner sides of tip
- Tip length 1.25mm
- **Cutting edge 0° to axis**
- Tip to angle length 14mm
- 45° angled shaft

Spatula

- 0.5mm width, 0.25mm thickness
- Tip to angle length 12mm
- 45° angled shaft
- Round handle, overall length 131mm

Nucleus Chopper

Best Seller 6-081




Nucleus Chopper

- Straight, sharp inner sides of tip
- Tip length 1.25mm
- **Cutting edge 45° to axis**
- Tip to angle length 14mm
- 45° angled shaft
- Round handle, overall length 122mm
- **Designed for right-handed phaco surgeons to be used through the left side port**

Nucleus Chopper

6-081-3




Nucleus Chopper

- Straight, sharp inner / outer sides of tip
- Tip length 1.25mm
- **Cutting edge 30° to axis**
- Tip to angle length 10.5mm
- 45° angled shaft
- Round handle, overall length 119mm
- **Designed for right-handed phaco surgeons to be used through the left side port**

Nucleus Chopper

6-083




Hara Nucleus Chopper

- Straight, sharp inner sides of tip
- Tip length 1.15mm
- **Cutting edge 45° to axis**
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 116mm
- **Designed for right-handed phaco surgeons to be used through the left side port**

Nucleus Chopper

6-083-1





Hara Nucleus Chopper

- Curved, sharp inner sides of tip
- Tip length 1.1mm
- **Cutting edge 35° to axis**
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 115mm
- **Designed for right-handed phaco surgeons to be used through the left side port**

Nucleus Chopper

6-083-5



Sibilio Nucleus Chopper and Manipulator

Nucleus Chopper



- Straight sharp inner sides of tip
- Tip length 1.25mm
- **Cutting edge 0° to axis**
- Tip to angle length 11mm
- 45° angled shaft

Manipulator

- 0.3mm diameter tip
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 132mm

Nucleus Chopper

6-085



Barrett Nucleus Chopper and Manipulator

Nucleus Chopper



- Straight, sharp inner/outer sides of tip
- Tip length 1.25mm
- **Two cutting edges 60° to axis**
- Tip to angle length 14mm
- 45° angled shaft

Manipulator

- 0.65mm mushroom tip
- Tip to angle length 10mm
- 45° angled shaft
- **Barrett balanced set handle**, overall length 124mm

Nucleus Chopper

Best Seller 6-085-1



Barrett Nucleus Chopper and Manipulator

Nucleus Chopper



- Straight, sharp inner/outer sides of tip
- Tip length 1.25mm
- **Two cutting edges 60° to axis**
- Tip to angle length 14mm
- 45° angled shaft

Manipulator

- 0.65mm mushroom tip
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 130mm

Nucleus Chopper

6-085-3



Nucleus Chopper and Rotator

Nucleus Chopper

- Straight, sharp inner sides of tip
- Tip length 1.25mm
- **Two cutting edges 60° to axis**
- Tip to angle length 14mm
- 45° angled shaft




Nucleus Rotator

- 1.25 x 1mm blunt tip
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 129mm

Nucleus Chopper

Best Seller

6-085-6



Barrett Nucleus Chopper and Divider

Nucleus Chopper




- Blunt ended tip, straight sharp inner sides
- Tip length 1.25mm
- **Two cutting edges 60° to axis**
- Tip to angle length 14mm
- 45° angled shaft

Nucleus Divider

- Sharp edge at base of tip
- Tip length 1.25mm
- Tip to angle length 10mm
- 45° angled shaft
- **Barrett balance set handle**, overall length 125mm

Nucleus Chopper

6-085-8



Nucleus Chopper and Rotator

Nucleus Chopper



- Straight, sharp inner / outer sides of tip
- Tip length 1.25mm
- **Two cutting edges 60° to axis**
- Tip to angle length 14mm
- 45° angled shaft

Nucleus Rotator

- 1 x 0.5mm blunt tip
- Tip to angle length 10mm
- 45° angled shaft
- **Barrett balanced set handle**, overall length 125mm

Nucleus Chopper

6-086



Inamura Nucleus Chopper and Manipulator

Nucleus Chopper




- Straight, sharp inner sides of tip
- Tip length 1.1mm
- **Cutting edge 45° to axis**
- Tip to angle length 11mm
- 45° angled shaft
- **Designed for left-handed phaco surgeons to be used through the right side port**

Manipulator

- 0.55mm ball shaped tip
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 129mm

Nucleus Chopper

6-086-1



Inamura Nucleus Chopper and Manipulator

Nucleus Chopper



- Straight, sharp inner sides of tip
- Tip length 1.1mm
- **Cutting edge 45° to axis**
- Tip to angle length 11mm
- 45° angled shaft
- **Designed for right-handed phaco surgeons to be used through the left side port**

Manipulator

- 0.55mm ball shaped tip
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 129mm

Nucleus Chopper

6-086-5



Jakobsen-Barrett Nucleus Chopper and Manipulator

Nucleus Chopper



- Blunt ended tip, straight sharp inner sides
- Tip length 1mm
- **Cutting edge 15° to axis**
- Tip to angle length 10mm
- 45° angled shaft
- **Designed for right-handed phaco surgeons to be used through the left side port**

Manipulator

- 0.65mm **highly polished** mushroom
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 126mm

Nucleus Chopper

6-086-6



Nucleus Chopper and Repositor

Nucleus Chopper


- Straight, sharp inner sides of tip
- Tip length 1.25mm
- **Cutting edge 45° to axis**
- Tip to angle length 14mm
- 45° angled shaft
- **Designed for right-handed phaco surgeons to be used through the left side port**

Repositor

- 0.5mm diameter blunt tip spatula
- Tip to angle length 14mm
- 45° angled shaft
- Round handle, overall length 132mm

Hook

6-086-4




Inamura RACE Hook, Right Hand

- Tip to angle length 0.5mm
- Tip length, angle to angle, 1.5mm
- 40° angle to tip length 9mm
- Round handle, overall length 119mm
- **Designed for left-handed phaco surgeons to be used through the right side port**

Hook

6-086-7




Inamura RACE Hook, Left Hand

- Tip to angle length 0.5mm
- Tip length, angle to angle, 1.5mm
- 40° angle to tip length 9mm
- Round handle, overall length 119mm
- **Designed for right-handed phaco surgeons to be used through the left side port**

Nucleus Chopper

6-071




Scott Femto Nucleus Chopper

- Curved, smooth round tip
- Tip to angle length 10mm
- 45° angled shaft
- **0.45mm constant diameter shaft to reduce leakage**
- Round handle, overall length 120mm


Vertical choppers have a cutting edge or sharp point enables the chopper to split or crack the nucleus in a vertical direction.

This diagram illustrates how we translate a tip view into a visual representation of the blade shape and position of the vertical chopper.



Axe

Coloured tip view with view of Axe from above




Divider

Coloured tip view with view of divider from above

Nucleus Chopper

6-074-2






Parmar Vertical Chopper

- Sharp point
- Tip length 0.75mm
- **Cutting edge 0° to axis**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 115mm

Nucleus Chopper

6-085-2



Barrett Phaco-Axe and Manipulator

Manipulator


- 0.65mm **highly polished** mushroom rotator
- Tip to angle length 10mm
- 45° angled shaft

Phaco-Axe

- 0.75 x 0.75mm axe
- Tip to angle length 10mm
- 45° angled shaft
- **Barrett balance handle**, overall length 122mm
- **Axe direction suitable for a right-handed phaco surgeon to be used through the left side port**

Nucleus Chopper

Best Seller 6-087





Mackool Phaco Chopper

- Straight miniature 0.3mm diameter ball shaped tip
- Tip length 0.6mm
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm

Nucleus Chopper

6-087-1



Mackool Phaco Chopper and Spatula

Chopper


- Straight miniature 0.35mm diameter ball shaped tip
- Tip length 0.7mm
- Tip to angle length 10mm
- 45° angled shaft

Spatula

- 0.4mm diameter blunt tip spatula
- Tip to angle length 11mm
- 50° angled shaft
- Round handle, overall length 114mm

Nucleus Divider

Best Seller 6-090




Nucleus Dividing Hook

- Straight, bulbous shape flat tip
- Tip width 0.62mm, length 0.9mm
- Tip to angle length 11mm
- 35° angled shaft
- Round handle, overall length 115mm

Nucleus Divider

6-090-3




Sugiura Nucleus Dividing Hook

- Paddle shape divider
- Tip 1.5mm long by 0.6mm wide
- Tip to angle length 10mm
- Curved shaft at 45° angle
- Round handle, overall length 113mm



Nucleus Divider

6-090-6




Wada Nucleus Dividing Hook

- Paddle shape divider
- Thinner dividing edge on right side
- Tip 1.35mm long by 0.6mm wide
- Tip to angle length 11mm
- Straight shaft at 40° angle
- Round handle, overall length 114mm
- **Designed for right-handed phaco surgeons to be used through the left side port**



Nucleus Divider

6-090-7



Rana-Ota Nucleus Dividing Hook


- Vertical paddle shaped divider with slot
- Tip 1.75mm length
- Tip to angle length 11mm
- Straight shaft at 40° angle
- Round handle, overall length 114mm



Nucleus Divider

Best Seller

6-090-8




Rana-Ota Nucleus Dividing Hook

- Vertical paddle shaped divider with slot
- Tip 1.4mm length
- Tip to angle length 11mm
- Straight shaft at 40° angle
- Round handle, overall length 114mm

Nucleus Chopper

6-093




Vertical Chopper

- Straight, blunt tip
- Tip length 1mm
- Tip to angle length 12mm
- 45° angled shaft
- Round handle, overall length 121mm

Spatula

6-099




Mackool-Barraquer Spatula

- 0.45mm width, 0.25mm thickness
- Tip to angle length 15mm
- 70° angled blade
- Round handle, overall length 115mm

Spatula

Best Seller 6-099-1




Iris Reposer

- 0.45mm width, 0.25mm thickness
- Tip to angle length 15mm
- 45° angled blade
- Highly polished internal face of curved tip
- Round handle, overall length 120mm


Spatula

6-099-2



Spatula

- 0.5mm width, 0.2mm thickness
- Tip to angle length 10mm
- 50° angled blade
- Highly polished underside of blade
- Round handle, overall length 120mm




6-099-4

Spatula

- 45° curved blade

Spatula

6-099-3





Anwar Keratoplasty Spatula

- 0.25mm diameter blunt tip
- Tip tapered from 0.5mm diameter
- Tip to angle length 7mm
- 60° angled blade
- Round handle, overall length 115mm

Spatula

Best Seller

6-100




Castroviejo Style Cyclodialysis Spatula

- 0.7mm width, 0.25mm thickness
- Tip to angle length 13mm
- 60° slightly curved blade
- Round handle, overall length 118mm

Spatula

6-101





Barraquer Style Iris Spatula

- 0.25mm width, 0.25mm thickness
- Tip to angle length 15mm
- 70° angled blade
- Round handle, overall length 115mm

Spatula

6-102



Castroviejo Style Double Ended Synechia Spatula

(A) Spatula



- 0.5mm width, 0.25mm thickness
- **Tip to angle length 10mm**
- 45° angled blade

(B) Spatula

- 0.5mm width, 0.25mm thickness
- **Tip to angle length 15mm**
- 45° angled blade
- Round handle, overall length 130mm

Spatula

6-105-1



Double Ended Spatula

Rounded tip


- 0.6mm diameter tip
- Tip to angle length 8mm
- 45° angled blade

Flattened tip

- 0.2mm x 0.5mm highly polished tip
- Tip to angle length 8mm
- 45° angled blade
- Round handle, overall length 123mm

Spatula

6-107



Round Tip Spatula

- 0.3mm width spatula with a 0.65mm diameter round tip
- Tip to angle length 11mm
- 47° angled curved blade
- Round handle, overall length 121mm

Stay up to date with the latest news from Duckworth & Kent.

Subscribe to our monthly news bulletins.




Visit www.duckworth-and-kent.com to sign up or click the link below:

Subscribe

Find out about our latest innovative instruments and how we keep surgeons at the leading edge of ophthalmology.

Hook

6-112




Anwar Keratoplasty Hook

- 0.18mm diameter tip for 1mm height
- Flat face at tip
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm

Iris Hook

6-124





Osher Iris Tuck Eliminator

- 0.18mm x 0.6mm hook
- Tip to curve length 10.5mm
- Curved shaft
- Round handle, overall length 119mm

Sinskey Hook

6-245




Double Ended Sinskey Hook

- **2 x 0.2mm diameter tips, 0.38mm height**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 125mm

Sinskey Hook

6-249




Delicate Sinskey Hook

- **0.12mm diameter tip, 0.35mm height**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm

Sinskey Hook

Best Seller 6-250



Sinskey Hook

- **0.18mm diameter tip, 0.35mm height**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm




Best Seller 6-251

Sinskey Hook

- Straight shaft
- Round handle, overall length 121mm

Hook

6-500




Fenzl Hook

- 0.13mm diameter, 0.5mm height dialler
- Tip to angle length 9mm
- 45° angled shaft
- Round handle, overall length 117mm

IOL Hook

Best Seller 6-400




Kuglen IOL Hook

- 0.76mm x 0.75mm x 0.25mm rotator tip
- Tip to angle length 9mm
- 45° angled shaft
- Round handle, overall length 122mm

IOL Hook

6-400-1




Mackool-Kuglen IOL Hook

- 0.88mm x 0.86mm x 0.25mm rotator tip
- Tip to angle length 9mm
- 45° angled shaft
- Round handle, overall length 118mm

IOL Hook

6-464-1




Ota Fine IOL Hook

- **Reverse hook, 0.20mm diameter, 1mm length reverse hook facing upwards**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 118mm

IOL Manipulator

6-417




Ogawa IOL Manipulator

- 0.5mm diameter tip
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 119mm

IOL Manipulator

6-418




Ogawa Miniature IOL Manipulator

- **0.3mm diameter tip**
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 119mm

IOL Manipulator

6-418-1




Ogawa Miniature IOL Manipulator, Straight

- 0.3mm diameter tip
- **Straight shaft**
- Round handle, overall length 122mm

IOL Manipulator

6-418-2




Daya Textured IOL Manipulator

- 0.2mm diameter tip
- **Lightly textured tip**
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 119mm

IOL Manipulator

Best Seller 6-450




Lester IOL Manipulator

- 0.4mm diameter tip
- Tip to angle length 9mm
- 45° angled shaft
- Round handle, overall length 118mm

IOL Manipulator

6-460




Hirschman IOL Manipulator

- 0.4mm diameter tip
- Tip to angle length 12mm
- 45° angled shaft
- Round handle, overall length 120mm

IOL Manipulator

6-467





IOL Manipulator

- **0.67mm vertically forked tip**
- Tip to angle length 9mm
- 45° angled shaft
- Round handle, overall length 117mm

IOL Manipulator

Best Seller

6-469



IOL Manipulator and Spatula

IOL Manipulator



- **0.67mm vertically forked tip**
- Tip to angle length 9mm
- 45° angled shaft

Spatula

- 0.55mm diameter spatula
- Tip to angle length 11.5mm
- 45° angled shaft
- Round handle, overall length 125mm

IOL Manipulator

6-469-1



IOL Manipulator and Spatula

IOL Manipulator


- **0.67mm delicate vertically forked tip**
- Tip to angle length 9mm
- 45° angled shaft

Spatula

- 0.55mm diameter spatula
- Tip to angle length 11.5mm
- 45° angled shaft
- Round handle, overall length 125mm

Nucleus Manipulator

6-472




Barrett Nucleus Manipulator

- 0.65mm mushroom style tip
- Tip to angle length 10mm
- 45° angled shaft
- **Barrett balanced set handle**, overall length 119mm

Nucleus Manipulator

Best Seller 6-472-1




Nucleus Manipulator

- 0.65mm mushroom style tip
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm

Nucleus Rotator

6-470




Bechert Nucleus Rotator

- 0.78mm vertically forked tip
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 118mm

Nucleus Rotator

6-476




Mackool Nucleus Rotator

- 0.78mm vertically forked tip
- Tip to angle length 12mm
- 45° angled shaft
- Round handle, overall length 120mm



Nucleus Rotator

6-491-2




Nucleus Rotator

- 0.2mm by 0.3mm tip
- 1.75mm tip length, **curved to right**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm
- **Designed for right-handed phaco surgeons to be used through the left side port**



Nucleus Rotator

6-491-3




Nucleus Rotator

- 0.2mm by 0.3mm tip
- 1.75mm tip length, **curved to left**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 119mm
- **Designed for left-handed phaco surgeons to be used through the right side port**



Nucleus Rotator

6-494




Nucleus Rotator

- 0.65mm diameter tip
- Tip to angle length 12mm
- 45° angled shaft
- Round handle, overall length 120mm

Nucleus Rotator

6-495




Brazier Nucleus Rotator

- 0.75mm blunt tip
- Tip to curve length 23mm
- 35° curved shaft
- Round handle, overall length 118mm


Nucleus Rotator

Best Seller 6-496





Drysdale Rotator, Small

- **0.5mm x 1.3mm round ended paddle**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 118mm



Drysdale Rotator, Angled

- **0.5mm x 1.4mm angled paddle**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 118mm




Drysdale Rotator, Large

- **0.8mm x 2.4mm large round ended paddle**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 118mm

DMEK Hook

Best Seller 6-250-1




Reverse Sinskey Hook

- **0.18mm diameter tip, 0.35mm height pointing upwards**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 118mm

DMEK Hook

6-250-2




Güell Reverse Sinskey Hook

- **0.22mm diameter rounded tip, 0.7mm height pointing upwards**
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 118mm

DMEK Hook

6-258




Descemet's Hook

- 0.2mm diameter, 0.5mm height
- Pointed tip
- Tip to angle length 14mm
- 45° slightly curved shaft
- Round handle, overall length 117mm

DMEK Scraper

6-256





Güell Descemet's Scraper

- 0.2mm tip width, 0.45mm height
- Tip to angle length 10mm
- 45° angled shaft
- Round handle, overall length 122mm

DMEK Scraper

6-257





Daya Descemet's Scraper

- 0.2mm tip width, 0.5mm height
- Sharp edges around tip
- Tip to angle length 14mm
- 45° angled shaft
- Round handle, overall length 121mm

Femto Spatula

6-848



Krokchings Double Ended Femto Spatula

(A) Femto Spatula



- Fine flat tapered tip from 0.3mm
- Tip to angle 4mm
- 45° slightly curved blade
- Used to open primary and secondary femto created incisions

(B) Femto Spatula

- Fine point, 0.5mm width x 0.5mm height
- Fine point 90° to blade
- Tip to angle 4mm
- 45° slightly curved blade
- Used to open limbal relaxing incisions (LRI)
- Round handle, overall length 119mm

Femto Spatula

6-855



Femto Flap Lifter and Re-treatment Spatula

Flap Lifter

- 0.4mm diameter, smooth polished surface
- Curved shaft, 12mm length



Re-treatment Spatula

- 0.15mm tip diameter, smooth polished surface
- **Round shaped tip**
- Tip to angle length 3mm
- 60° angled blade
- Round handle, overall length 123mm

Femto Spatula

Best Seller

6-855-1



Femto Flap Lifter and Re-treatment Spatula

Flap Lifter


- 0.4mm diameter, smooth polished surface
- Curved shaft, 12mm length

Re-treatment Spatula

- 0.15mm tip diameter, smooth polished surface
- **Bullet shaped tip**
- Tip to angle length 3mm
- 60° angled blade
- Round handle, overall length 123mm

Femto Spatula

6-856




Femto Spatula

- 0.5mm spatula
- Smooth slightly curved shaft with blunt tip
- Tip to angle length 10mm
- 45° angled blade
- Round handle, overall length 118mm

Epithelial Separator

6-866




Epithelial Separator

- 5mm triangular-shaped tip
- 45° angled blade
- Round handle, overall length 119mm

LASIK Spatula

6-870




Buratto LASIK Oval Spatula

- 1.3mm wide, oval shaped spatula
- Tip to angle length 10.5mm
- 35° angled curved blade
- Round handle, overall length 122mm

ICL Manipulator

6-479




Deitz ICL Manipulator

- 0.78mm vertically forked tip
- **Lightly textured surface on underside from tip to angle**
- Tip to angle length 11mm
- 45° angled shaft
- Round handle, overall length 119mm

ICL Manipulator

Best Seller 6-481





Pallikaris ICL Manipulator

- 0.7mm x 0.4mm oval shaped tip
- Textured finish on rounder side
- Tip to angle length 12mm
- 45° slightly curved shaft
- Round handle, overall length 119mm

ICL Manipulator

6-482



Bylsma Double Ended ICL Manipulator

(A) Manipulator



- 0.6mm x 1.1mm oval shaped tip
- Tip to angle length 12.5mm
- 45° angled curved shaft (curved left)

(B) Manipulator

- 0.6mm x 1.1mm oval shaped tip
- Tip to angle length 12.5mm
- 45° angled curved shaft (curved right)
- Round handle, overall length 143mm

SMILE Dissector

6-835



SMILE Double Ended Dissector

Bullet Shaped Tip



- **0.4mm diameter bullet shaped tip**
- Tip to angle length 9.5mm
- 60° angled curved shaft
- **Laser markings on angled shaft at 7mm, 7.5mm and 8mm from tip**

Bullet Shaped Tip

- **0.25mm diameter bullet shaped tip**
- Tip to angle length 2mm
- 60° angled shaft
- Round handle, overall length 117mm

SMILE Dissector

Best Seller 6-836



SMILE Double Ended Dissector with Spoon Tip

Spoon Shaped Tip



- 1.25 x 0.35mm spoon-shaped tip
- Tip to angle length 9.5mm
- 70° angled curved shaft
- **Laser markings on angled shaft at 7mm, 7.5mm and 8mm from tip**

Bullet Shaped Tip

- **0.25mm diameter bullet shaped tip**
- Tip to angle length 2mm
- 60° angled shaft
- Round handle, overall length 116mm

SMILE Dissector

6-836-1



SMILE Double Ended Dissector with Taneri Spoon Tip

Spoon Shaped Tip

- 1.3 x 0.2mm semi-sharp spoon-shaped tip
- Tip to angle length 8.5mm
- 60° angled straight shaft
- **Laser markings on angled shaft at 7mm, 7.5mm and 8mm from tip**




Bullet Shaped Tip

- **0.25mm diameter bullet shaped tip**
- Tip to angle length 1.5mm
- 60° angled shaft
- Round handle, overall length 116mm

SMILE Dissector

Best Seller

6-836-2



Reinstein Double Ended Lenticule Separator

Spoon Shaped Tip


- **1.2 x 0.4mm smooth spoon-shaped tip**
- Tip to angle length 8.5mm
- 90° angled curved shaft

Bullet Shaped Tip

- **0.22mm diameter bullet shaped tip**
- Tip to angle length 2mm
- 60° angled shaft
- Round handle, overall length 114mm

SMILE Dissector

6-839





SMILE Short Dissector

- **0.22mm diameter bullet shaped tip**
- Tip to angle length 2mm
- 60° angled shaft
- Round handle, overall length 112mm

SMILE Hook

6-837



SMILE Double Ended Lenticule Hook

- 1mm wide 3 pronged hooks tip up and tip down
- Tip to angle length 10mm
- 70° angled shafts
- Round handle, overall length 123mm



Titanium Reusable Ophthalmic Instruments



Miscellaneous


- **Cataract**
 - Iris Retractor and Cataract Support System
 - Capsule Polisher
 - Lens Loop and Expressor
- **Corneal**
 - Lamellar Dissector
 - Trephine Guide / Alcohol Chamber
 - CXL
 - Keratometer
 - Scleral Support Rings
- **Glaucoma**
 - Punches
 - Conjunctival Clamps
- **Lacrimal**
 - Probes and Dilators
- **Oculoplastics**
 - Curettes
 - Eye Shields
 - Retractors
 - Clamps
- **Paediatric**
 - Muscle Hooks
- **Vitreoretinal**
 - Scleral Depressors
 - Membrane Spatula
 - Cannula Forceps

Iris Retractor

6-130

Mackool Iris Retractor

- **Tip to block length 3.17mm**
- Supplied individually




Cataract Support

Best Seller 6-140

Mackool Cataract Support System

- (6 to 8 recommended)
- 0.3mm x 2.8mm hook
- **Overall length 8.7mm**
- Supplied individually



Sterilising Case

6-135

Mackool Holder / Sterilising Case

- External dimensions: 19mm diameter, 12mm height
- Internal dimensions: 15mm diameter, 10mm height
- Made from titanium



6-135-1




Mackool Holder / Sterilising Case

- Made from Ultem, a semi transparent orange coloured plastic

Capsule Polisher

6-510




Mackool Capsule Polisher

- 0.3mm diameter olive shaped textured tip
- 45° angled shaft, tip to angle length 11mm
- Round handle, overall length 119mm

Lens Loop

6-610




Barrett Lens Loop

- 4mm x 12mm loop (outside dimension)
- 3mm x 9mm loop (inside dimension)
- **Barrett balanced set handle**, overall length 121mm

Nucleus Expressor

6-630





Barrett Nucleus Expressor

- 2mm bulbous tip, curved shaft
- **Barrett balanced set handle**, overall length 120mm

Lamellar Dissector

6-607



Morlet Lamellar Dissector and Knife

Dissector


- 0.35mm x 2mm curved
- Angled shaft 12mm tip to curve

Knife

- 0.1mm x 1.5mm with sharp edges
- Tip to angle length 3mm
- Round handle, overall length 111mm

Trepine Guide

6-946




Trepine Guide, Ø9.0mm and Alcohol Chamber

- Alcohol chamber, height 6mm
- Designed as a 9mm diameter guide and as an alcohol chamber
- Round handle, overall length 129mm

Epithelial Disruptor

6-960-1



Epithelial Disruptor

- 40 fine sharp points radially spaced
- Round handle, overall length 21mm
- For use in CXL

Maloney Keratometer

- 31mm maximum diameter
- 21.5mm height
- Cone-shaped instrument designed to reflect the microscope light in concentric rings on the cornea to detect astigmatism




Scleral Support Rings

6-600


Scleral Support Rings

- Three bands supplied as one of each (small, medium, large)
- Small (12mm internal diameter, 15mm external diameter)
- Medium (13mm internal diameter, 15.5mm external diameter)
- Large (14mm internal diameter, 16.5mm external diameter)



Descemet's Punch

7-101




Khaw Descemet's Membrane Punch, Small

- Designed to punch **0.5mm x 0.3mm**
- Round squeeze handle, overall length 117mm
- Particularly suited when small sclerostomy required

Descemet's Punch

Best Seller 7-102




Khaw Descemet's Membrane Punch, Medium

- Designed to punch **0.75mm x 0.5mm**
- Round squeeze handle, overall length 117mm

Descemet's Punch

7-105




Descemet's Membrane Punch, Large

- Designed to punch **1.2mm x 0.7mm**
- Round squeeze handle, overall length 117mm

Conjunctival Clamp

Best Seller 2-686




Khaw Conjunctival Clamp, Small

- Holds conjunctiva securely
- **Tip width 4mm**
- Overall length 74mm
- Single handed action
- Holds and protects the conjunctival edge during antimetabolite application

Conjunctival Clamp

2-687



Khaw Conjunctival Clamp, Large

- Holds conjunctiva securely
- **Tip width 12mm**
- Overall length 74mm
- Single handed action
- Holds and protects the conjunctival edge during antimetabolite application


Lacrimal Probes

**Finish**

High quality surface finish over first 5mm of tips.

Length

Overall length 130mm.

Probe Tips**More Details...**

For full product details visit:
duckworth-and-kent.com

Instrument Comparison Chart


Product Name - Lacrimal Probe

Tip Size	Tip Diameter	Additional Information	
0000 and 000	0.5 and 0.6mm	Lacrimal Probe	6-656
00 and 0	0.7 and 0.8mm	Lacrimal Probe	6-656-1
1 and 2	0.9 and 1.0mm	Lacrimal Probe	6-656-2
3 and 4	1.1 and 1.2mm	Lacrimal Probe	6-656-3
5 and 6	1.3 and 1.4mm	Lacrimal Probe	6-656-4
7 and 8	1.5 and 1.6mm	Lacrimal Probe	6-656-5

Best Seller

Lacrimol Dilator

6-180




Lacrimol Dilator

- **0.1mm diameter pointed tip**
- 10° inclusive angle
- Round handle, overall length 122mm

Lacrimol Dilator

6-180-1




Lacrimol Dilator

- **0.2mm diameter rounded tip**
- 10° inclusive angle
- Round handle, overall length 122mm

Lacrimol Dilator

6-181




Lacrimol Dilator

- **0.45mm diameter blunt tip**
- Round handle, overall length 120mm


Lacrimol Dilator

Best Seller

6-182-2



(A)



(B)

Otaka Double Ended Lacrimol Dilator

- Bullet shape tip to ease insertion
- Double ended instrument
- (A) Marks at diameters 0.5, 0.6 and 0.7mm
- (B) Marks at diameters 0.8, 0.9, 1.0, 1.1 and 1.2mm
- Round handle, overall length 103mm

Chalazion Curettes



Handle

All curettes have a round handle.

Shaft

All curettes have a straight shaft.


Length

All curettes have an overall length of 125mm.

More Details...

For full product details visit:
duckworth-and-kent.com

Curette Detail



Instrument Comparison Chart

Product Name - Chalazion Curette

Cup Size	Additional Information
1mm diameter	Meyerhoefer Chalazion Curette 6-641
1.5mm diameter	Meyerhoefer Chalazion Curette 6-641-1
2mm diameter	Meyerhoefer Chalazion Curette 6-641-2
2.5mm diameter	Meyerhoefer Chalazion Curette 6-641-3
3mm diameter	Meyerhoefer Chalazion Curette 6-641-4



Protects the eye when carrying out laser blepharoplasty surgery

Finish

All shields are highly polished except external surface of Miyata Eye Shield (6-667-7) which has a matte finish.

Grasping Mechanism


Peg, loop or handle to facilitate placement and removal.

Grasping Mechanism

Peg




Loop



(6-667-6)

Handle Matte



(6-667-7)

Instrument Comparison Chart

Product Name - Eye Shield

Size	Dimensions	Loop/Peg	Additional Information	
Extra Small	11mm x 11mm	Handle	Miyata Eye Shield, Extra Small	6-667-7
Small	18mm x 20mm	Peg	Egi-Rabkin Eye Shield, Small	6-667-4
Medium	18.5mm x 21mm	Loop	Egi-Miyata Eye Shield, Medium	6-667-6
		Peg	Egi-Rabkin Eye Shield, Medium	6-667-3
Large	19mm x 22mm	Peg	Egi-Rabkin Eye Shield, Large	6-667-2
	20.5mm x 22mm	Peg	Rabkin Eye Shield, Large	6-667

Best Seller

Eye Shield

6-664

Otaka Lid Plate

- 23mm wide
- 20mm wide
- Matte finish
- Overall length 55mm

**Eye Shield**

6-665


Rabkin Laser Blepharoplasty Plate

- 20mm wide
- 23mm wide
- Combination of highly polished and non-reflective matte finish
- Overall length 111mm



Lid Retractor

6-628




Desmarres Lid Retractor, size 0

- Blade width 11mm
- Flat handle, overall length 132mm



Lid Retractor

6-629




Rabkin Lid Retractor

- Blade width 15.5mm
- Flat handle, overall length 134mm
- Non-reflective finish, textured surface top face



Hook

6-645



Double Fixation Hook

- Sharp tips, 2 point fixation, 2mm separated
- Round handle, overall length 128mm




Lid Clamp

2-640


Desmarres Chalazion Clamp

- 17.5mm internal / 20mm external oval circular working diameter upper plate
- 20mm diameter lower plate
- Polished finish lower plate
- Flat handle, locking thumb screw, overall length 88mm



Utility Clamp

6-805




Bulldog Clip

- 8.5mm serrated cross action jaws
- Overall length 46mm

Muscle Hook

6-620




Paediatric Muscle Hook

- 0.65mm diameter tip, **tip to curve length 5mm**
- Round handle, overall length 125mm

Muscle Hook

Best Seller 6-625




Jameson Muscle Hook

- 2mm bulbous tip, **tip to curve length 10mm**
- Round handle, overall length 136mm


Muscle Hook

6-626



Assaf Resection Muscle Hook

- 90° double **10mm adjustable tips**
- Caliper measures 2mm - 14mm
- Flat handle, overall length 135mm




6-626-1

Assaf Resection Muscle Hook

- 90° double **12mm adjustable tips**


Scleral Depressor

6-615



Tsukahara Scleral Depressor

- **Highly polished tip**
- Tip length 6mm, maximum diameter 1.2mm
- 55° angled shaft
- Large diameter round handle, overall length 114mm





6-615-1

Tsukahara Scleral Depressor

- **Textured tip**
- 3 slots on the right and left of the tip (6 slots overall)

Scleral Depressor

Best Seller 6-635-2



Schocket Double Ended Scleral Depressor

Round Tip



- 2.5mm round tip

Cylinder Tip

- 2mm x 4.5mm cylinder tip
- Round handle, overall length 135mm

Scleral Depressor

6-635-3



Koura Double Ended Scleral Depressor

Oval Tip



- 2mm oval tip
- 2x slits down side, 0.5mm diameter x 6mm length
- 60° angled shaft

Round Tip

- 2mm round tip
- 20° angled shaft
- Round handle, overall length 124mm

Scleral Depressor

6-635-4



Nishimura Scleral Manipulator and Depressor

Manipulator


- 0.5mm diameter pin 3mm long
- Shaft with pin angled at 40°

Depressor

- 3mm round highly polished depressor
- Round handle, overall length 128mm

Membrane Spatula

6-912




Giunchiglia Membrane Peeling Spatula, 23 Gauge

- Ultra fine textured tip
- 0.6mm wide, blunt tip curved 45°
- Straight 23 gauge shaft, length 32mm
- Round handle, overall length 128mm

Cannula Forceps

2-832E



Cannula Loading Forceps

- Designed to hold 23 and 25 gauge cannulas
- 45° angled shafts, tip to angle length 6mm
- Flat handle, overall length 115mm
- **E Range single piece instrument**
Design registration number 004383396-0001



Titanium Reusable Ophthalmic Instruments




Irrigation & Aspiration

- I/A Handpieces (21 and 23 Gauge)
- Aspiration Tips
- Coaxial Handpieces
- Phaco Wrench
- I/A Cannulas and Cannula Handle
- Irrigating Cannulas
- Infusion and AC Maintainers

Irrigation Handpiece

Best Seller 8-650




Irrigation Handpiece

- **21 gauge, 0.8mm tube diameter**
- **Two 0.5mm irrigation ports**
- Curved shaft, tube length 15mm
- Round handle, overall length 107mm
- Suggested Pairing: **8-655**

Irrigation Handpiece

8-650-1




Avolio Irrigation Handpiece

- **21 gauge, 0.8mm tube diameter**
- **Flattened tip for first 5mm**
- **Two 0.5mm equivalent side irrigation ports**
- Curved shaft, tube length 15mm
- Round handle, overall length 107mm
- Suggested Pairing: **8-655-1**

Irrigation Handpiece

8-650-2




Irrigation Handpiece

- **21 gauge, 0.8mm tube diameter**
- **Bullet shaped tip**
- **Two 0.5mm irrigation ports**
- Curved shaft, tube length 22mm
- Round handle, overall length 115mm
- Suggested Pairing: **8-655-2**

Aspiration Handpiece

Best Seller 8-655




Aspiration Handpiece

- **21 gauge, 0.8mm tube diameter, textured tip**
- 0.35mm aspiration port
- Curved shaft, tube length 15mm
- Round handle, overall length 107mm
- Suggested Pairing: **8-650**

Aspiration Handpiece

8-655-1




Avolio Aspiration Handpiece

- **21 gauge, 0.8mm tube diameter**
- **Flattened textured tip for first 5mm**
- 0.35mm aspiration port
- Curved shaft, tube length 15mm
- Round handle, overall length 107mm
- Suggested Pairing: **8-650-1**

Aspiration Handpiece

8-655-2




Aspiration Handpiece

- **21 gauge, 0.8mm tube diameter with textured tip**
- **Bullet shaped tip**
- 0.35mm aspiration port
- Curved shaft, tube length 22mm
- Round handle, overall length 115mm
- Suggested Pairing: **8-650-2**

Irrigation Handpiece

Best Seller 8-652




Irrigation Handpiece

- **23 gauge, 0.65mm tube diameter**
- **Two 0.4mm side irrigation ports**
- Curved shaft, tube length 15mm
- Round handle, overall length 107mm
- Suggested Pairing: **8-657**

Irrigation Handpiece

Best Seller 8-652-1




Irrigation Handpiece

- **23 gauge, 0.65mm tube diameter**
- **Open end 0.5mm irrigation port, 30° angled face**
- Curved shaft, tube length 11mm
- Round handle, overall length 103mm
- Suggested Pairing: **8-657**

Aspiration Handpiece

Best Seller 8-657




Aspiration Handpiece

- **23 gauge, 0.65mm tube diameter, textured tip**
- 0.3mm aspiration port
- Curved shaft, tube length 11mm
- Round handle, overall length 104mm
- Suggested Pairing: **8-652** or **8-652-1**

Irrigation Handpiece

8-652S




Irrigation Handpiece

- **23 gauge, 0.65mm tube diameter**
- Two 0.4mm side irrigation ports
- Curved shaft, tube length 15mm
- **Round handle, overall length 80mm**
- Suggested Pairing: **8-657S**

Irrigation Handpiece

8-652-1S




Irrigation Handpiece

- **23 gauge, 0.65mm tube diameter**
- **Open end 0.5mm irrigation port, 30° angled face**
- Curved shaft, tube length 11mm
- **Round handle, overall length 76mm**
- Suggested Pairing: **8-657S**

Aspiration Handpiece

8-657S



Aspiration Handpiece

- **23 gauge, 0.65mm tube diameter, textured tip**
- 0.3mm aspiration port
- Curved shaft, tube length 11mm
- **Round handle, overall length 77mm**
- Suggested Pairing: **8-652S** or **8-652-1S**



Aspiration Tips to be used in conjunction with 8-711 series I/A Handpieces (see page 139)

Port Size

0.25mm and 0.3mm options available

Texture

Majority of tips have no texture, 8-731-4 and 8-732-4 are half textured

Shape

Four variations available 90° angle, 45° angle, curved and straight

More Details...

For full product details visit:
duckworth-and-kent.com

Instrument Comparison Chart

Product Name - I/A Tip

22 Gauge / 0.7mm Tube Diameter


Port Size	Shape	Texture	Additional Information	
0.25mm	90° Angled	None	Aspiration Tip, 90° Angled Tip	8-730
	45° Angled	None	Aspiration Tip, 45° Angled Tip	8-730-1
0.3mm	90° Angled	None	Aspiration Tip, 90° Angled Tip	8-731
	45° Angled	None	Aspiration Tip, 45° Angled Tip	8-731-1
	Straight	None	Aspiration Tip, Straight Tip	8-731-3
	Curved	Half	Aspiration Tip, Curved Tip	8-731-4

20 Gauge / 0.9mm Tube Diameter


Port Size	Shape	Texture	Additional Information	
0.3mm	90° Angled	None	Aspiration Tip, 90° Angled Tip	8-732
	45° Angled	None	Aspiration Tip, 45° Angled Tip	8-732-1
	Straight	None	Aspiration Tip, Straight Tip	8-732-3
	Curved	Half	Aspiration Tip, Curved Tip	8-732-4

Best Sellers

Shape




Texture




I/A Handpiece

8-711N



I/A Handpiece, Push Fit

- Round handle, overall length 115mm
- Separates for cleaning internal parts
- **Single thread at front of handpiece**
- Used with 8-730, 8-731 and 8-732 series aspiration tips
- Aspiration tips purchased separately
- Silicone sleeve is pushed onto single thread
- Silicone sleeve not included




8-711-1N

I/A Handpiece, Screw Fit

- **Multi-thread at front of handpiece**


I/A Handpiece

8-711NL



I/A Handpiece with Luer Lock, Push Fit

- Round handle, overall length 115mm
- Separates for cleaning internal parts
- **Luer lock fitting on irrigation port**
- **Single thread at front of handpiece**
- Used with 8-730, 8-731 and 8-732 series aspiration tips
- Aspiration tips purchased separately
- Silicone sleeve is pushed onto single thread
- Silicone sleeve not included



8-711-1NL

I/A Handpiece, Screw Fit


- **Multi-thread at front of handpiece**

Phaco Wrench

8-001

Phaco Wrench


- For use with Alcon fitting needles and all D&K aspiration tips (8-730 series, 8-731 series and 8-732 series)



Cannula

Best Seller

8-635




Ogawa I/A Cannula

- **18 gauge, thin wall**
- 0.8mm irrigation port, 0.3mm aspiration port
- 30° angled shaft, tip to angle length 6mm
- Coaxial irrigation and aspiration
- Irrigation attaches directly to main hub
- Syringe attaches to luer fitting for aspiration
- Silicone tubing and luer fitting supplied



Cannula

8-635-3



Ogawa I/A Cannula

- **18 gauge, thin wall**
- 0.8mm irrigation port, 0.3mm aspiration port
- 30° angled shaft, tip to angle length 6mm
- **Knurled hub enhances grasp**
- **Textured tip**
- Coaxial irrigation and aspiration
- Irrigation attaches directly to main hub
- Syringe attaches to luer fitting for aspiration
- Silicone tubing and luer fitting supplied



Cannula Handle

8-720




Cannula Handle

- **Specifically made for use with 8-601 series, 8-602, 8-603 and 8-604**
- Overall length 99mm

Cannula

8-601




Inamura Hyper-Hydrodissection Cannula

- 22 gauge tube (0.7mm diameter)
- 0.9mm x 0.3mm flattened tip
- Twin jets, inclusive angle **20°**
- 45° angled tip
- Overall length 36mm

Cannula


8-601-1



Inamura Hydrodissection Cannula

- 22 gauge tube (0.7mm diameter)
- Twin jets, inclusive angle **60°**
- 45° angled tip
- Overall length 36mm

8-601-2




Inamura Multipurpose Cannula

- Twin jets, inclusive angle **30°**

Cannula

Best Seller 8-602




Mackool Hydrodissection Cannula

- 23 gauge tube (0.65mm diameter)
- 0.85mm x 0.3mm flattened tip
- 30° angled shaft, tip to angle length 8mm
- Overall length 35mm

Cannula

8-603




Capsule Polishing Cannula, 23 Gauge

- 23 gauge tube (0.65mm diameter)
- 1.75mm x 1mm olive shaped textured tip
- 30° curved shaft
- Overall length 34mm



Cannula

8-604




LASIK Cannula

- 23 gauge tube (0.65mm diameter)
- 0.2mm diameter hole at tip
- Four 0.4mm diameter holes along side of shaft
- 25° angled shaft, tip to angle length 8mm
- Overall length 30mm



Cannula

8-605




Air Injection Cannula

- 23 gauge tube (0.65mm diameter)
- 45° angled shaft, tip to angle length 5mm
- Overall length 35mm




Cannula

8-615-1




Rassam Infusion Cannula

- **20 gauge, thin wall, 0.9mm diameter x 4.2mm length**
- Straight shaft, 45° bevelled tip
- 3 x 0.5mm pitched thread
- 5mm plate diameter
- Silicone tubing and luer fitting supplied




Cannula

Best Seller 8-616



Ogawa Infusion Cannula, 20 Gauge

- **20 gauge, thin wall, 0.9mm diameter x 4mm length**
- Straight shaft, 45° bevelled tip
- Grooves in cannula body ensure non-traumatic securing of cannula
- **Knurled hub enhances grip**
- Silicone tubing overall length 410mm
- Silicone tubing and luer fitting supplied




8-616-1

Ogawa Infusion Cannula, 23 Gauge

- **23 gauge, thin wall, 0.65mm diameter x 4mm length**
- **Fits through 0.9mm paracentesis opening**

Cannula

8-644



Infusion Cannula, 23 Gauge

- **23 gauge, thin wall, 0.65mm diameter x 4mm length**
- Straight shaft, 45° bevelled tip
- **Fits through 0.9mm paracentesis opening**
- Silicone tubing and luer fitting supplied





Precision engineered irrigation and aspiration handpieces.

Consistent high flow rates.

Tube sizes range from 21 gauge (0.8mm diameter) to 23 gauge (0.65mm diameter).

Precision made tips and tubes, produced from a single piece of titanium with no fabrication. Guaranteed quality.



Coaxial handpieces and tips

Available with single/multi thread/luer lock options. Separates for cleaning internal parts.





Titanium Reusable Ophthalmic Instruments





Fixation Rings, Gauges and Markers

- Fixation Rings
- CCC Markers
- Ring Markers
- Corneal Blade Markers
- LASIK Markers
- DMEK Markers
- Axis Blade Markers
- Degree Gauges
- Toric Markers
- Incision Markers
- Intravitreal Injection Guides
- Calipers
- Incision Gauges

Fixation Ring

9-509




Thornton Fixation Ring

- 3/4 ring, **13mm** diameter ring with ten point fixation
- Fixed flat handle, overall length 114mm

Fixation Ring

Best Seller 9-510




Thornton Fixation Ring

- 3/4 ring, **13mm** diameter ring with ten point fixation
- Pivot swivel flat handle, overall length 104mm

Fixation Ring

Best Seller 9-510R




Thornton Fixation Ring

- 3/4 ring, **13mm** diameter ring with ten point fixation
- Pivot swivel round handle, overall length 112mm

Fixation Ring

9-515R




Thornton Fixation Ring

- 3/4 offset ring, **13mm** diameter ring **dual-sided** with ten point fixation
- Pivot swivel round handle, overall length 113mm

Fixation Ring

9-503




Thornton Fixation Ring


- 3/4 ring, **16mm** diameter ring with ten point fixation
- Pivot swivel flat handle, overall length 106mm

CCC Marker

9-518-1



Mark Made




Fujimoto CCC Guide, Ø5.3mm


- 12mm diameter outer ring
- Inner capsulorhexis guide **5.3mm** diameter ring
- Smooth surface to mark cornea
- Fixed flat handle, overall length 99mm

CCC Marker

9-518-2



Mark Made




Fujimoto CCC Guide, Ø5.6mm


- 12mm diameter outer ring
- Inner capsulorhexis guide **5.6mm** diameter ring
- Smooth surface to mark cornea
- Fixed flat handle, overall length 99mm

CCC Marker

9-518-2R



Mark Made




Fujimoto CCC Guide, Ø5.6mm

- 12mm diameter outer ring
- Inner capsulorhexis guide **5.6mm** diameter ring
- Smooth surface to mark cornea
- Fixed round handle, overall length 99mm

CCC Marker

9-518-3



Mark Made




Ota-Fujimoto CCC Marker, Ø5.6mm

- **5.6mm** diameter ring, low profile with centre pointer
- Round handle, overall length 94mm

CCC Marker

Best Seller

9-518-4



Marks Made



Donoso Capsulorhexis Marker, Ø6.5mm

- Castellated ring which marks five segments of a 6.5mm diameter on the cornea, approximating to a 5.5mm diameter capsulorhexis
- Round handle, overall length 125mm

Ring Marker

9-778




Ring Marker, Ø5.0mm

- **5mm** diameter ring, low profile
- Round handle, overall length 122mm

Ring Marker

9-779




Ring Marker, Ø6.0mm

- **6mm** diameter ring, low profile
- Round handle, overall length 123mm

Ring Marker

Best Seller 9-781




Ring Marker, Ø8.0mm

- **8mm** diameter ring, low profile
- Round handle, overall length 124mm

Ring Marker

9-781W




Ring Marker with Cross Wires, Ø8.0mm

- **8mm** diameter ring
- Low profile with **cross wires**
- Round handle, overall length 125mm

Ring Marker

9-788




Ring Marker, Ø9.0mm

- **9mm** diameter ring, low profile
- Round handle, overall length 125mm

Ring Marker

9-789W-1





Ring Marker with Cross Wires, Ø11.0mm


- **11mm** diameter ring
- Low profile with **cross wires**
- Round handle, overall length 126mm

Blade Marker

9-732



Marks Made





Thornton Radial Marker, 8 Blades


- **8 radial blades**
- 4mm inside diameter, 13mm outside diameter
- Lowest profile with centre pointer
- Round handle, overall length 128mm

Blade Marker

9-733



Marks Made





Thornton Radial Marker, 12 Blades


- **12 radial blades**
- 4mm inside diameter, 13mm outside diameter
- Lowest profile with centre pointer
- Round handle, overall length 128mm

Blade Marker

9-734



Marks Made






Thornton Radial Marker, 16 Blades

- **16 radial blades**
- 5mm inside diameter, 13mm outside diameter
- Lowest profile with centre pointer
- Round handle, overall length 128mm

LASIK Marker

9-854R





LASIK Marker

- Lowest profile with three radial elements and two non-radial elements
- Round handle, overall length 98mm

LASIK Marker

9-855




Gulani LASIK Marker

- 3.5mm and 4mm intersecting circles
- Round handle, overall length 122mm

S Marker

9-830




DMEK 'S' Marker

- 1.25 x 2.5mm **high 'S' mark**
- 35° angled handle
- Round handle, overall length 96mm

F Marker

9-831





DMEK 'F' Marker

- 1.1 x 2.25mm **high 'F' mark**
- 35° angled handle
- Round handle, overall length 96mm

Blade Marker

9-729





Axis Marker, 2 Blades

- **2 axial blades**
- 4mm inside diameter, 11.6mm outside diameter
- Lowest profile with centre pointer
- Round handle, overall length **124mm**

Blade Marker

Best Seller

9-729-1





Axis Marker, 2 Blades

- **2 axial blades**
- 4mm inside diameter, 11.6mm outside diameter
- Lowest profile with centre pointer
- Round handle, overall length **95mm**

Blade Marker

9-730




Thornton Radial Marker, 4 Blades

- **4 radial blades**
- 4mm inside diameter, 13mm outside diameter
- Lowest profile with centre pointer
- Round handle, overall length **128mm**

Degree Gauge

9-700




Mendez Degree Gauge

- Marks 0° - 180° in **10° increments** x 2
- 12mm internal ring diameter
- 40° angled handle
- Flat handle, overall length 116mm

Degree Gauge

9-705R




Wallace-Mendez Degree Gauge

- Measures 0° - 180° in **10° increments** x 2
- 12mm internal ring diameter
- 60° angled handle
- Round handle, overall length 102mm

Degree Gauge

Best Seller 9-705R-1





Mendez Degree Gauge

- Marks 0° - 180° in **5° increments** x 2
- 12mm internal ring diameter
- 60° angled handle
- Round handle, overall length 103mm

Toric Marker

Best Seller 9-840





Cionni Toric Reference Marker

- **3 blades**, radial marks
- **10mm** inside diameter, **15mm** outside diameter
- 70° angled shaft
- Round handle, overall length 124mm

Toric Marker

9-840-1





Cionni Toric Reference Marker

- **3 blades**, radial marks
- **8.5mm** inside diameter, **12.75mm** outside diameter
- 70° angled shaft
- Short round handle, overall length 96mm

Toric Marker

9-840-3





Toric Reference Marker, 4 Blades

- **4 blades**, radial marks
- **8.5mm** inside diameter, **12.75mm** outside diameter
- 70° angled shaft
- Short round handle, overall length 98mm

Toric Marker

Best Seller 9-841



Marks Made





Cionni Toric Axis Marker

- **2 rotating blades**, radial marks
- **11mm** inside diameter, **15mm** outside diameter
- Marks 0° to 180° in **10° increments**
- 40° angled shaft
- Flat handle, overall length 116mm

Toric Marker

9-841-1



Marks Made




Cionni Toric Axis Marker

- **2 rotating blades**, radial marks
- **9.35mm** inside diameter, **12.75mm** outside diameter
- Marks 0° to 180° in **5° increments**
- 40° angled shaft
- Flat handle, overall length 116mm

Toric Marker

9-841-2



Marks Made





Barrett Toric Axis Marker

- **2 fixed blades**, orientated 90° to handle
- **11mm** inside diameter, **15mm** outside diameter
- Rotating dial marks 0° to 180° in **10° increments**
- 40° angled shaft
- Flat handle, overall length 116mm

Toric Marker

9-841-3



Marks Made





R J Mackool™ Toric Axis Marker


- **2 rotating blades**, radial marks
- **9mm** inside diameter, **12.8mm** outside diameter
- Marks 0° to 180° in **10° increments**
- 3 non-marking reference blades
- 45° angled shaft
- Round handle, overall length 127mm
- US Patent No. 9,011,470

Toric Marker

9-841-4



Marks Made




Barrett Toric Axis Marker

- Two dials, one outer and one inner
- Two marking blades
- Marks 0° to 180° in **5° increments**
- 45° angled shaft
- Round handle, overall length 125mm

Incision Marker

9-845




Ota 'Y' Incision Marker

- 4.3mm x 2.8mm marker
- **Double Y mark** for universal placement
- Reference gauge offsets marker 2mm from limbus
- Round handle, overall length 97mm

Incision Marker

9-845-2





Ota 'T' Incision Marker

- 1.5mm x 2mm **T shaped marker**
- Reference arm offsets marker 2mm from limbus
- Round handle, overall length 96mm

Incision Marker

9-846





Ota Reference Incision Marker

- 3 blades with centre point, **radial marks**
- 8mm inside diameter, 15mm outside diameter
- 70° angled shaft
- Round handle, overall length 97mm

Incision Marker

9-847





Ota L-Pocket Incision Marker

- Marks **two squares** 3mm x 3mm, side by side
- Round handle, overall length 94mm

Incision Marker



9-749



Kearney Parabolic Marker

- 5mm x 5mm marker
- 1mm cross hatches
- Round handle, overall length 125mm

Injection Guide





Doi-Uematsu Intravitreal Injection Guide

- 0.5mm needle guide hole, suitable for 27 gauge needle or smaller
- 12mm diameter ring with 'snow-tyre pattern' fixation
- **5.5mm** break in ring
- Designed for the right handed surgeon to be held in the non-dominant hand
- Held in the non-dominant hand (left)
- Round handle, overall length 102mm
- PAT.P 2005.316218

Injection Guide

9-544-2





Doi-Uematsu Intravitreal Injection Guide

- 0.5mm needle guide hole, suitable for 27 gauge needle or smaller
- 12mm diameter ring with 'snow-tyre pattern' fixation
- **8.4mm** break in ring
- Designed for the right handed surgeon to be held in the non-dominant hand
- Held in the non-dominant hand (left)
- Round handle, overall length 98mm

Injection Guide

9-544-4





Doi-Uematsu Intravitreal Injection Guide

- **0.4mm** needle guide hole, suitable for 30 gauge needle or smaller
- 12mm diameter ring with 'snow-tyre pattern' fixation
- **8.4mm** break in ring
- Designed for the right handed surgeon to be held in the non-dominant hand
- Round handle, overall length 98mm

Marking Caliper

9-692




Double Ended Caliper

- Double ended caliper marks 3.5mm and 4mm
- Marks from centre of caliper tips
- Round handle, overall length 99mm

Marking Caliper

9-699



Castroviejo Style Marking Caliper


- 0.25mm x 0.25mm delicate marking tips
- Marks **0mm to 20mm in 0.25mm** increments
- Marks from centre of tips
- Adjustable thumb screw
- Standard caliper handle



Marking Caliper

Best Seller

9-650



Castroviejo Style Marking Caliper

- 0.25mm x 0.25mm delicate marking tips
- Marks **0mm to 15mm in 0.25mm** increments
- Marks from centre of tips
- Adjustable thumb screw
- Standard caliper handle





Gauge Options

Set of 7 individual incision gauges from 1mm to 3mm in 0.1mm increments.

Gauges can be ordered individually.


Gauge Sizes

Each individual gauge measures 3 sizes of 0.1mm increments.

Colour Coding

Gauges specifically coloured for easy identification.

Gauge Markings



Instrument Comparison Chart

Product Name - Incision Gauge

Gauge Size	Colour Code	Additional Information	
1.0, 1.1 and 1.2mm	Pink	Incision Gauge	9-687-1
1.3, 1.4 and 1.5mm	Dark Blue	Incision Gauge	9-687-2
1.6, 1.7 and 1.8mm	Light Green	Incision Gauge	9-687-3
1.9, 2.0 and 2.1mm	Blue	Incision Gauge	9-687-4
2.2, 2.3 and 2.4mm	Gold	Incision Gauge	9-687-5
2.5, 2.6 and 2.7mm	Purple	Incision Gauge	9-687-6
2.8, 2.9 and 3.0mm	Copper	Incision Gauge	9-687-7

Demonstrational Videos



We have a continually growing list of videos demonstrating a range of our instruments.

To keep up to date with future videos please visit:

www.duckworth-and-kent.com

or

subscribe to our **YouTube** channel **duckworthandkent** and be notified of future videos.




Titanium Reusable Ophthalmic Instruments



Specula

- Neonatal / Paediatric
- Adult Single Piece
- Adult Adjustable
- Adjustable by Procedure
- Adjustable by Sub-Specialty
- Adjustable Reversible



[More Details..](#)

For full product details visit: duckworth-and-kent.com

Instrument Comparison Chart




Product Name - Speculum


Single Piece					
Blade	Size mm	Shape	Position	Additional Information	
Closed	4.4	Angled	Temporal	Neonatal Speculum	9-574
	6	Straight	Temporal	Barraquer Paediatric Speculum	9-572
	9	Angled	Temporal	Barraquer Paediatric Speculum	9-573
Nasal			Barraquer Paediatric Speculum	9-573-1	
Closed Strong	4.4	Angled	Temporal	Neonatal Speculum, Strong Spring	9-574-1

Computerised machines accurately produce a range of single piece specula from a single piece of titanium

Adjustable					
Blade	Size mm	Shape	Position	Additional Information	
Closed	7	Curved	Temporal	Adjustable Paediatric Speculum	9-577-3
Solid	9.6	Curved	Temporal	Adjustable Paediatric Speculum	9-577-4

Best Sellers

Blade		Size	
Closed	Solid		
			
Shape & Position			
Angled / Nasal	Straight / Temporal	Angled / Temporal	Curved / Temporal
			



Single Piece

Computerised machines accurately produce a range of single piece specula from a single piece of titanium

More Details...


For full product details visit: duckworth-and-kent.com

Instrument Comparison Chart

Product Name - Speculum

Blade	Size mm	Shape	Position	Additional Information	
Closed	14	Angled	Temporal	Speculum	9-561
		Curved	Temporal	Speculum	9-560
	14.5	Straight	Temporal	Barraquer Adult Speculum	9-550
		Angled	Temporal	Barraquer Adult Speculum	9-551
		Nasal		Barraquer Adult Speculum	9-552
Closed Large	14	Curved	Temporal	Speculum	9-559
Closed Strong	14.5	Angled	Nasal	Barraquer Adult Speculum, Strong Spring	9-552F
Open	14	Curved	Temporal	Speculum	9-560-1
		14.5	Straight	Temporal	Kratz-Barraquer Speculum
	14.5	Angled	Temporal	Kratz-Barraquer Speculum	9-556
		Nasal		Kratz-Barraquer Speculum	9-557
		15	Angled	Temporal	Thornton Comfort Speculum
Solid	14.5	Angled	Temporal	Bloomberg Solid Blade Speculum	9-566

Best Sellers





[More Details...](#)


For full product details visit: duckworth-and-kent.com


Instrument Comparison Chart

Product Name - Speculum

Blade	Size mm	Shape	Position	Additional Information	
ClosedThin	13.5	Curved	Temporal	Adjustable Speculum, Thin Blades	9-578-2
Closed	14.5	Curved	Temporal	Adjustable Speculum	9-578
OpenThin	13.5	Curved	Temporal	Adjustable Speculum, Thin Blades	9-579-2
	14	Curved	Temporal	Adjustable Speculum, Thin Blades	9-579-6
OpenThick	13.5	Curved	Temporal	Mackool Adjustable Speculum, Thick Blades	9-579
Open	13.5	Angled	Nasal	Koch-Cionni Adjustable Speculum	9-598-2
	14.5	Angled	Temporal	Adjustable Speculum	9-597-1
Solid	14.5	Angled	Temporal	Adjustable Speculum	9-597

Best Sellers





Barrett

Cionni

[More Details...](#)

For full product details visit: duckworth-and-kent.com

Instrument Comparison Chart


Product Name - Speculum

Blade	Size mm	Shape	Position	Additional Information	
Open	14	Angled	Nasal	Cionni Speculum	9-585
			Angled	Barrett Adjustable Speculum	9-591
	14.5	Angled	Temporal	Barrett Adjustable Speculum	9-590
			Straight	Barrett Adjustable Speculum	9-592

Best Seller


Locking Mechanism

Cionni




Self-Locking

Barrett




Thumb Screw

Size



Shape & Position


Angled / Nasal




Straight / Temporal



Angled / Temporal





[More Details...](#)

For full product details visit: duckworth-and-kent.com

Instrument Comparison Chart

Product Name - Speculum

Femtosecond Laser


Blade	Size mm	Shape	Position	Additional Information
Open	15.5	Curved	Temporal	RJ Mackool™ Femtosecond Laser Speculum 9-588-1
				Horn Adjustable Femtosecond Laser Speculum 9-588-2

LASIK

Blade	Size mm	Shape	Position	Additional Information
Open	15	Angled	Temporal	Lieberman Adjustable Speculum* 9-588-3
	15.5	Angled	Temporal	Buratto Adjustable Speculum 9-588
			Nasal	Buratto Adjustable Speculum 9-589
	18	Angled	Temporal	Williams Adjustable LASIK Speculum 9-583
Solid	14.5	Angled	Temporal	Mackool Adjustable Speculum 9-595

Best Sellers

* Non-overlapping blades when closed (9-588-3)



Blade		Size	
Open	Solid		
Shape & Position			
Angled / Nasal	Angled / Temporal	Curved / Temporal	



[More Details...](#)

For full product details visit: duckworth-and-kent.com


Instrument Comparison Chart

Product Name - Speculum

Glaucoma					
Blade	Size mm	Shape	Position	Additional Information	
Solid	14	Angled	Temporal	Khaw Standard Glaucoma Surgery Speculum	9-576
		Curved	Temporal	Khaw Glaucoma Surgery Speculum (Thin)	9-576-4
	Curved	Temporal	Khaw Glaucoma Speculum, Narrow	9-576-5	

Vitreoretinal					
Blade	Size mm	Shape	Position	Additional Information	
Closed	15	Curved	Temporal	VSL Ring Holder Adjustable Speculum	9-578-8

Best Seller





Instrument Comparison Chart

Product Name - Speculum

Blade	Size mm	Position	Additional Information
Closed	14	Reversible	Shepard Reversible Speculum 9-599-1
Solid	14	Reversible	Shepard Reversible Speculum 9-599

 Best Seller

Blade


Closed



Solid



Size



Reversible

Angled Nasally & Temporally





Titanium Reusable Ophthalmic Instruments




Injectors & IOL Forceps

- IOL Forceps and Injectors
- CTR Injectors

IOL Forceps

2-774-1E




IOL Folding Forceps

- Paddle style jaws
- Flat handle, overall length 115mm
- Allows for upward folding of IOL
- **Designed specifically for AcrySof IOL implant approved by Alcon**
- **E Range single piece handle**

Design registration number 004383396-0001

IOL Forceps

DK7710E




IOL Holding Forceps

- 45° angled shafts, tip to angle length 7mm
- Highly polished inner jaw surfaces protects from scratching the lens surface
- Flat handle, overall length 111mm
- **Designed specifically for AcrySof IOL implant approved by Alcon**
- **E Range single piece handle**

Design registration number 004383396-0001

IOL Forceps

DK7740E




IOL Insertion Forceps

- 40° angled shafts, tip to angle length 7.5mm
- Biconvex jaw design
- Highly polished inner jaw
- Flat handle, overall length 107mm
- **Designed specifically for AcrySof IOL implant approved by Alcon**
- **E Range single piece handle**

Design registration number 004383396-0001

IOL Forceps

DK7717E



IOL Loading Forceps

- Highly polished tips protect from scratching the lens surface
- Round handle, overall length 119mm
- **Designed specifically for loading AcrySof IOL into the MONARCH® II and III cartridges**
- **E Range single piece handle**
Design registration number 004383396-0001

IOL Injector

Best Seller DK7797-2



Injector with Pre-Load Position Suitable for Alcon MONARCH® D, C and B Cartridges

- **Suitable for Alcon MONARCH® IIID, IIIC and IIB cartridges**
- Front loading cartridge, secured by rotating sleeve
- **Single handed delivery for efficient lens implantation**
- **Pre-load position, reducing final plunger movement**
- Injector separates to expose internal parts for cleaning
- Injector length overall (without cartridge) 157mm


IOL Injector

DK7797-3



Screw Thread Injector for Alcon MONARCH® D, C, and B cartridges

- **Suitable for Alcon MONARCH® IIID, IIIC and IIB cartridges**
- Front loading cartridge, secured by rotating sleeve
- **Screw thread system for controlled lens implantation**
- **Rapid screw thread gives a smooth predictable lens delivery**
- Injector separates to expose internal parts for cleaning
- Injector length overall (without cartridge) 152mm



IOL Loading Forceps

- **For loading the TECNIS® 1-Piece IOL into the One Series™ Ultra Cartridge**
- Polished tips protect from scratching the lens surface
- Round handle, overall length 111mm

IOL Injector




Screw Thread Injector

- **Suitable for the One Series™ Ultra Cartridge and TECNIS® SENSAR Acrylic 1-Piece IOLs**
- Quick and easy snap in design for secure cartridge loading
- Capsular friendly tip assists lens manipulation post implantation
- **Screw thread system for controlled lens implantation**
- **Rapid screw thread gives a smooth predictable lens delivery**
- Injector separates to expose internal parts for cleaning
- Injector length overall (without cartridge) 148mm

CTR Inserter

7-810




Capsular Tension Ring (CTR) Inserter

- Injector is to be used for implantation of **Morcher capsular tension ring**
- Bayonet fitting allows easy separation of main body and centre rod
- Overall length 140mm

CTR Inserter

Best Seller 7-811




Capsular Tension Ring (CTR) Inserter

- Injector is to be used for implantation of **Ophtec capsular tension rings** Model 275 and Model 276.
- Bayonet fitting allows easy separation of main body and centre rod
- Overall length 150mm
- **Not for sale in the United States of America**


CTR Inserter

7-812



Capsular Tension Ring (CTR) Inserter

- Injector is to be used for implantation of **Bio Vision capsular tension rings** Models CTR-11W, CTR-11B, CTR-12W, CTR-12B and CTR-13W, CTR-13B
- Bayonet fitting allows easy separation of main body and centre rod
- Overall length 150mm
- **Not for sale in the United States of America**




Titanium Reusable Ophthalmic Instruments



Sterilising Trays

- Sterilising Trays
- Sterilising Tray for Diamond Knives



Capacity

Variable options ranging from 2-40 instruments.

Dimensions

External dimensions provided.

Silicone Mats

One silicone mat provided, except for T7010-2 and T7020-2 which have a second internal middle tray. T7000 has two silicone bars.

More Details...

For full product details visit:
duckworth-and-kent.com

Instrument Comparison Chart


Product Name - Sterilising Tray

Capacity	Dimensions	Silicone Mats	Additional Information	
4	160/70/25mm	1	Sterilising Tray for 4 Instruments	T7003-1
6	173/110/25mm	1	Sterilising Tray for 6 Instruments	DK7003
10	264/162/25mm	1	Sterilising Tray for 10 Instruments	T7010
20	264/162/45mm	2	Sterilising Tray for 20 Instruments	T7010-2
	395/266/25mm	1	Sterilising Tray for 20 Instruments	T7020
40	395/266/50mm	2	Sterilising Tray for 40 Instruments	T7020-2
2	160/70/25mm	2 Bars	Sterilising Tray for 2 Diamond Knives	T7000

Best Sellers





Silicone Mats / Bars

Mats



2 Bars





Titanium Reusable Ophthalmic Instruments



Instruments by Sub-Specialty

- Essential Cataract
- Glaucoma
- Lacrimal
- Oculoplastics
- Paediatric
- Vitreoretinal

Essential Cataract Set



Essential Cataract Set

Product Name	Product Number	Page Number
Barraquer Adult Speculum	9-551	172
Kratz-Barraquer Speculum	or 9-556	172
Pierse Notched Forceps	2-100E	34
Bonn Toothed Forceps, 0.12mm	or 2-110E	32
Inamura Capsulorhexis Forceps	2-716GER8-1	42
Ultrata Capsulorhexis Forceps	or 2-719-3E	48
Barrett Nucleus Chopper and Manipulator	6-085-1	83
Drysdale Rotator, Small	or 6-496	103
Irrigation Handpiece	8-652	135
Aspiration Handpiece	8-657	135
I/A Handpiece with Luer Lock, Push Fit	or 8-711NL	139
Aspiration Tip, 45° Angled Tip	8-731-1	138

Best Sellers

Cost Saving Calculator

This graph illustrates the **cost savings** of a D&K essential cataract instrument set compared to equivalent single-use instruments.

Find out more...

Visit the **D&K website** to click on the **cost saving calculator**. Input your figures to find out the savings you can make.




Sub-Tenon Selection

Product Name	Product Number	Page Number
Barraquer Adult Speculum	9-551	172
Moorfields Utility Forceps	2-510-1E	56
Westcott Style Tenotomy Scissors, Curved	1-510	24

Occasional Range

Product Name	Product Number	Page Number
Lieberman Adjustable Speculum	9-588-3	178
Shepard Reversible Speculum (Closed)	9-599-1	182
Needle Holder, Curved 7mm	3-205	66
Vannas Scissors	1-110	28
Osher IOL Cutter, Angled	1-705	26
Tying Forceps, Straight	2-500E	36
Kelman-McPherson Tying Forceps, Angled	2-522E	36
Mackool Cataract Support System	6-140	115
Mackool Holder / Sterilising Case	6-135	115
Denman-Brown Nucleus Cracker	2-803E	52
Nucleus Removal Forceps	2-796E	61
Sinskey Hook	6-250	96
Kuglen IOL Hook	6-400	97


Glaucoma Instruments



Product Name	Product Number	Page Number
Khaw Suture Control Forceps	2-502E	56
Khaw Conjunctival Clamp, Small	2-686	120
Khaw Conjunctival Clamp, Large	2-687	120
Angled Retractable Diamond Knife, 2.0mm Dome	4-480	70
Khaw Descemet's Membrane Punch, Small	7-101	119
Khaw Descemet's Membrane Punch, Medium	7-102	119
Descemet's Membrane Punch, Large	7-105	119
Khaw Standard Glaucoma Surgery Speculum	9-576	180
Khaw Glaucoma Surgery Speculum (Thin)	9-576-4	180
Khaw Glaucoma Surgery Speculum, Narrow	9-576-5	180
Kearney Parabolic Marker	9-749	162


Best Sellers

Lacrimal Instruments



Product Name	Product Number	Page Number
Lacrimal Dilator	6-180	122
Lacrimal Dilator	6-180-1	122
Lacrimal Dilator	6-181	122
Otaka Double Ended Lacrimal Dilator	6-182-2	122
Lacrimal Probe, size 0000-000	6-656	121
Lacrimal Probe, size 00-0	6-656-1	121
Lacrimal Probe, size 1-2	6-656-2	121
Lacrimal Probe, size 3-4	6-656-3	121
Lacrimal Probe, size 5-6	6-656-4	121
Lacrimal Probe, size 7-8	6-656-5	121

Oculoplastics Instruments



Product Name	Product Number	Page Number
Rabkin Blepharoplasty Tissue Forceps (0.5mm)	2-108E	32
Castroviejo Toothed Forceps (0.5mm)	2-117E	32
Beaupre Cilia Forceps	2-195	53
Otaka Cilia Forceps	2-195-1	53
KY Cilia Forceps	2-196	53
Single Piece Epilation Forceps	2-2195E	53
Desmarres Chalazion Clamp	2-640	127
Desmarres Lid Retractor, size 0	6-628	126
Rabkin Lid Retractor	6-629	126
Meyerhoefer Chalazion Curette, 1.0mm	6-641	123
Meyerhoefer Chalazion Curette, 1.5mm	6-641-1	123
Meyerhoefer Chalazion Curette, 2.0mm	6-641-2	123
Meyerhoefer Chalazion Curette, 2.5mm	6-641-3	123
Meyerhoefer Chalazion Curette, 3.0mm	6-641-4	123
Double Fixation Hook	6-645	126
Otaka Lid Plate	6-664	125
Rabkin Laser Blepharoplasty Plate	6-665	125
Rabkin Eye Shield	6-667	124
Egi-Rabkin Eye Shield, Large	6-667-2	124
Egi-Rabkin Eye Shield, Medium	6-667-3	124
Egi-Rabkin Eye Shield, Small	6-667-4	124
Egi-Miyata Eye Shield, Medium	6-667-6	124
Miyata Eye Shield	6-667-7	124

Best Sellers



Product Name	Product Number	Page Number
Paediatric Muscle Hook	6-620	128
Jameson Muscle Hook	6-625	128
Assaf Resection Muscle Hook	6-626	128
Assaf Resection Muscle Hook	6-626-1	128
Barraquer Paediatric Speculum	9-572	170
Barraquer Paediatric Speculum, Angled	9-573	170
Barraquer Paediatric Speculum, Nasal	9-573-1	170
Neonatal Speculum	9-574	170
Neonatal Speculum, Strong Spring	9-574-1	170
Adjustable Paediatric Speculum, Closed Blade	9-577-3	170
Adjustable Paediatric Speculum, Solid Blade	9-577-4	170

Vitreoretinal Instruments



Product Name	Product Number	Page Number
Vitreoretinal Scissors, 23 Gauge	1-841	15
Vitreoretinal Scissors, Curved, 23 Gauge	1-842	15
Vitreoretinal Scissors Head, 23 Gauge	1-841N	16
Vitreoretinal Scissors Head, Curved, 23 Gauge	1-842N	17
Squeeze Handle for VR Instrument Heads	6-676	16
Vitreoretinal Forceps Head, 23 Gauge	2-877N	17
Vitreoretinal Forceps Head, 23 Gauge	2-878-1N	17
Cannula Loading Forceps	2-832E	130
Vitreoretinal Forceps, 23 Gauge	2-877	15
Vitreoretinal Forceps, 23 Gauge	2-878-1	16
Tsukahara Scleral Depressor	6-615	129
Tsukahara Scleral Depressor	6-615-1	129
Schocket Scleral Depressor	6-635-2	129
Koura Scleral Depressor	6-635-3	129
Nishimura Scleral Depressor and Manipulator	6-635-4	130
Protective Cleaning Cover	6-675	18
Small Flushing Adaptor for VR Instruments	6-675-1	18
Giunchiglia Membrane Peeling Spatula, 23 Gauge	6-912	130
Rassam Infusion Cannula	8-615-1	143
Doi-Uematsu Intravitreal Injection Guide	9-544	163
Doi-Uematsu Intravitreal Injection Guide	9-544-2	163
Doi-Uematsu Intravitreal Injection Guide	9-544-4	163
VSL Ring Holder Adjustable Speculum	9-578-8	180


 Best Sellers

Investing in reusable instruments helps **reduce the amount of end user waste** in comparison to single-use instruments.



Introducing our new **enviromentally conscious packaging**.





Titanium Reusable Ophthalmic Instruments




Instruments by Procedure

- DALK
- DMEK
- FLACS
- ICL
- LASIK
- LRI
- PK
- SMILE
- TORIC


DALK Instruments

Deep Anterior Lamellar Keratoplasty



Product Name	Product Number	Page Number
Castroviejo Miniature Corneal Scissors, Curved	1-118	21
Anwar Corneal Scissors, Right	1-218	22
Anwar Corneal Scissors, Left	1-219	22
Anwar Keratoplasty Spatula	6-099-3	92
Spatula	6-099-4	91
Anwar Keratoplasty Hook	6-112	95
Morlet Lamellar Knife and Dissector	6-607	117
Thornton Radial Marker, 4 Blades	9-730	156
Thornton Radial Marker, 8 Blades	9-732	153
Thornton Radial Marker, 12 Blades	9-733	153
Ring Marker, Ø8.0mm	9-781	151
Ring Marker with Cross Wires, Ø8.0mm	9-781W	152
Ring Marker, Ø9.0mm	9-788	152
Ring Marker with Cross Wires, Ø11.0mm	9-789W-1	152


Best Sellers



Product Name	Product Number	Page Number
DMEK Descemet's Stripping Forceps	2-285E	58
DMEK Descemet's Stripping Forceps, Angled	2-287E	58
DMEK Descemet's Stripping Forceps, Cross action	2-787-1E	58
Güell Descemet's Membrane Forceps	2-838	59
Double Ended Sinskey Hook	6-245	95
Reverse Sinskey Hook	6-250-1	105
Güell Reverse Sinskey Hook	6-250-2	105
Güell Descemet's Scraper	6-256	106
Daya Descemet's Scraper	6-257	106
Descemet's Hook	6-258	105
Ring Marker with Cross Wires, Ø11.0mm	9-789W-1	152
DMEK 'S' Marker	9-830	155
DMEK 'F' Marker	9-831	155

FLACS Instruments

Femtosecond Laser-Assisted Cataract Surgery



Product Name	Product Number	Page Number
Scott Femto Nucleus Chopper	6-071	86
Krokchings Double Ended Femto Spatula	6-848	107
Femto Flap Lifter and Re-treatment Spatula	6-855	107
Femto Flap Lifter and Re-treatment Spatula	6-855-1	107
Femto Spatula	6-856	108
RJ Mackool™ Femtosecond Laser Speculum	9-588-1	178
Horn Adjustable Femtosecond Laser Speculum	9-588-2	178

ICL Instruments

Implantable Contact Lens




Product Name	Product Number	Page Number
Deitz ICL Loading Forceps	2-770E	61
ICL Forceps, Angled	2-896-2	61
ICL Forceps, Angled (gold coloured tip)	2-896-3	61
Deitz ICL Manipulator	6-479	109
Pallikaris ICL Manipulator	6-481	109
Bylsma Double Ended ICL Manipulator	6-482	109

Best Sellers

LASIK Instruments

Laser In-Situ Keratomileusis



Product Name	Product Number	Page Number
Epithelial Separator	6-866	108
Buratto LASIK Oval Spatula	6-870	108
LASIK Cannula	8-604	142
Williams Adjustable LASIK Speculum	9-583	178
Buratto Adjustable Speculum	9-588	178
Lieberman Adjustable Speculum	9-588-3	178
Buratto Adjustable Speculum	9-589	178
Mackool Adjustable Speculum	9-595	178
LASIK Marker	9-854R	154
Gulani LASIK Marker	9-855	154

LRI Instruments


Limbal Relaxing Incision



Product Name	Product Number	Page Number
Wallace LRI Diamond Knife, Preset 600µm	4-620	74
Wallace LRI Diamond Knife, Preset 550µm	4-620-2	74
Wallace LRI Diamond Knife, Preset 500µm	4-620-3	74
Wallace LRI Diamond Knife, Preset 450µm	4-620-4	74
Packard-Rosen LRI Diamond Knife, Preset 600µm	4-621	74
LRI Micrometer Diamond Knife	5-305-1	74
Maloney Keratometer	6-700	118
Mendez Degree Gauge	9-700	157
Wallace-Mendez Degree Gauge	9-705R	157
Mendez Degree Gauge	9-705R-1	157
Axis Marker, 2 Blades	9-729	156
Axis Marker, 2 Blades	9-729-1	156

PK Instruments

Penetrating Keratoplasty




Product Name	Product Number	Page Number
Castroviejo Corneal Scissors, Curved Right	1-400	22
Castroviejo Corneal Scissors, Curved Left	1-401	22
Double Toothed Colibri Forceps, 0.12mm	2-170E	57
Maumenee Toothed Forceps, 0.12mm	2-185	57
Scleral Support Rings	6-600	118
Thornton Radial Marker, 4 Blades	9-730	156
Thornton Radial Marker, 8 Blades	9-732	153
Thornton Radial Marker, 12 Blades	9-733	153
Thornton Radial Marker, 16 Blades	9-734	153
Ring Marker, Ø8.0mm	9-781	151
Ring Marker with Cross Wires, Ø8.0mm	9-781W	152
Ring Marker, Ø9.0mm	9-788	152
Ring Marker with Cross Wires, Ø11.0mm	9-789W-1	152

Best Sellers


SMILE Instruments

Small Incision Lenticule Extraction



Product Name	Product Number	Page Number
NeoVize SMILE Forceps	2-835E	60
SMILE Lenticule Removal Forceps	2-836E	60
SMILE Lenticule Removal Forceps, 23 Gauge	2-837	60
Chan SMILE Dissecting Forceps	2-839	60
SMILE Double Ended Dissector	6-835	111
SMILE Double Ended Dissector with Spoon Tip	6-836	111
SMILE Double Ended Dissector with Taneri Spoon Tip	6-836-1	111
Reinstein Double Ended Lenticule Separator	6-836-2	112
SMILE Double Ended Lenticule Hook	6-837	112
SMILE Short Dissector	6-839	112

Toric Markers




Product Name	Product Number	Page Number
Cionni Toric Reference Marker	9-840	158
Cionni Toric Reference Marker	9-840-1	158
Toric Reference Marker, 4 Blades	9-840-3	158
Cionni Toric Axis Marker	9-841	159
Cionni Toric Axis Marker	9-841-1	159
Barrett Toric Axis Marker	9-841-2	159
R J Mackool™ Toric Axis Marker	9-841-3	160
Barrett Toric Axis Marker	9-841-4	160

Find the Ideal Instrument for You



Search this PDF by product number or name by pressing CTRL+F (Windows) or CMD+F (Mac).



See the Quality

Feel the Difference



Get hands on with our instruments
across the globe...



For more information on how to visit **Duckworth & Kent**
or our Distributors at exhibitions across the globe,
visit our events page at the below address.

www.duckworth-and-kent.com/events

1 -
2 -
3 -
4 -
5 -
6 -
7 -
8 -
9 -
DK
T



Numerical Index



Numerical Index

1 -

1-110	28
1-111	28
1-111B	28
1-112	28
1-116	21
1-118	21
1-120	28
1-121	28
1-211	25
1-211B	25
1-218	22
1-219	22
1-227	24
1-312	28
1-400	22
1-401	22
1-500	24
1-500B	24
1-501	24
1-510	24
1-625	11.21
1-630	11.25
1-700	26
1-705	26
1-841	15
1-841N	16
1-842	15
1-842N	17

2 -

2-100E	34	2-501-2E	55
2-100-1E	34	2-502E	56
2-101E	34	2-503E	56
2-103E	34	2-504E	36
2-104E	34	2-504ER8	36
2-108E	32	2-505E	36
2-110E	32	2-505ER8	36
2-110-1E	32	2-510-1E	56
2-110-3E	32	2-520E	36
2-111E	32	2-522E	36
2-114E	32	2-524E	36
2-114ER8	32	2-524-1E	36
2-116E	32	2-526E	36
2-117E	32	2-527E	36
2-118E	32	2-529E	36
2-130E	34	2-529-1ER8	36
2-132E	32	2-640	127
2-135E	32	2-686	120
2-135ER8	32	2-687	120
2-144E	32	2-695	12.62
2-160E	62	2-706GE	46
2-167E	55	2-706G-1E	46
2-170E	57	2-706G-1RE	46
2-185	57	2-706GRE	46
2-195	53	2-712-3ER8	48
2-195-1	53	2-712-4ER8	48
2-196	53	2-714-3ER8	48
2-200E	34	2-716G-8E	44
2-214E	32	2-716G-8RE	44
2-215E	32	2-716G-8RSE	44
2-2195E	53	2-716G-8SE	44
2-285E	58	2-716G-9E	44
2-287E	58	2-716G-9RE	44
2-500E	36	2-716G-9RSE	44
2-500-1E	36	2-716G-9SE	44
2-500-2E	36	2-716G-10E	44
2-500-4E	55	2-716G-10RE	44
2-501E	36	2-716GE	42

2-716GE-1	42
2-716GE-1S	42
2-716GE-2	42
2-716GE-3	42
2-716GER8	42
2-716GER8-1	42
2-716GER8-1S	42
2-716GER8-2	42
2-716GER8-3	42
2-716GNE	40
2-716GN-2E	40
2-716GN-3E	40
2-716GN-4E	40
2-716GN-5E	40
2-716GNR8E	40
2-716GNR8-2E	40
2-716GNR8-3E	40
2-716GNR8-4E	40
2-716GNR8-5E	40
2-716GNR8-6E	40
2-718-3E	48
2-719-3E	48
2-719-4E	48
2-770E	61
2-774-1E	185
2-787-1E	58
2-795E	57
2-796E	61
2-802E	52
2-803E	52
2-815E	49
2-817E	49
2-817-1E	49
2-818E	50
2-820E	50
2-820-1E	50
2-821E	51
2-832E	130
2-835	60
2-836E	60
2-837	12,60
2-838	12,59
2-839	60
2-847-4	13,38
2-877	15
2-877N	17
2-878-1	16
2-878-1N	17
2-896-2	13,61
2-896-3	13,61
2-900E	62

3 -

3-201	66
3-202	66
3-203	66
3-205	66
3-206	66
3-207	66
3-208	66
3-222	66
3-223	66
3-302	66
3-303	66
3-422	66
3-423	66
33-202	66
33-203	66
33-222	66
33-223	66
33-225	66
33-303	66

4 -

4-100	70
4-115	70
4-122	70
4-125	70
4-406	70
4-415	70
4-416	70
4-430	70
4-438	70
4-440	70
4-460	70
4-480	70
4-590	70
4-600	70
4-620	74
4-620-2	74
4-620-3	74
4-620-4	74
4-621	74

5 -

5-300-1	72
5-305-1	74
5-310-1	72
5-329-1	72
5-330-1	72
5-340-1	72
5-360-1	72
5-362	72

6 -

6-071	86	6-099-4	91	6-494	103
6-072-1	77	6-100	92	6-495	103
6-074-1	78	6-101	92	6-496	103
6-074-2	87	6-102	93	6-496-1	104
6-075	78	6-105-1	93	6-496-2	104
6-075-1	78	6-107	93	6-500	96
6-076	79	6-112	95	6-510	116
6-079	79	6-124	95	6-600	118
6-079-1	79	6-130	115	6-607	117
6-080	80	6-135	115	6-610	116
6-080-2	80	6-135-1	115	6-615	129
6-080-3	80	6-140	115	6-615-1	129
6-080-4	81	6-180	122	6-620	128
6-081	81	6-180-1	122	6-625	128
6-081-3	81	6-181	122	6-626	128
6-083	82	6-182-2	122	6-626-1	128
6-083-1	82	6-245	95	6-628	126
6-083-5	82	6-249	96	6-629	126
6-085	83	6-250	96	6-630	116
6-085-1	83	6-250-1	105	6-635-2	129
6-085-2	87	6-250-2	105	6-635-3	129
6-085-3	83	6-251	96	6-635-4	130
6-085-6	84	6-256	106	6-641	123
6-085-8	84	6-257	106	6-641-1	123
6-086	84	6-258	105	6-641-2	123
6-086-1	85	6-400	97	6-641-3	123
6-086-4	86	6-400-1	97	6-641-4	123
6-086-5	85	6-417	98	6-645	126
6-086-6	85	6-418	98	6-656	121
6-086-7	86	6-418-1	98	6-656-1	121
6-087	88	6-418-2	99	6-656-2	121
6-087-1	88	6-450	99	6-656-3	121
6-090	88	6-460	99	6-656-4	121
6-090-3	89	6-464-1	97	6-656-5	121
6-090-6	89	6-467	100	6-664	125
6-090-7	89	6-469	100	6-665	125
6-090-8	90	6-469-1	100	6-667	124
6-093	90	6-470	101	6-667-2	124
6-095	51	6-472	101	6-667-3	124
6-099	91	6-472-1	101	6-667-4	124
6-099-1	91	6-476	102	6-667-6	124
6-099-2	91	6-479	109	6-667-7	124
6-099-3	92	6-481	109	6-675	18
		6-482	109	6-675-1	18
		6-491-2	102	6-676	16
		6-491-3	102	6-700	118

6-805	127
6-835	111
6-836	111
6-836-1	111
6-836-2	112
6-837	112
6-839	112
6-848	107
6-855	107
6-855-1	107
6-856	108
6-866	108
6-870	108
6-912	130
6-946	117
6-960-1	117

7 -

7-101	119
7-102	119
7-105	119
7-810	188
7-811	188
7-812	188

8 -

8-001	139
8-601	141
8-601-1	141
8-601-2	141
8-602	141
8-603	142
8-604	142
8-605	142
8-615-1	143
8-616	143
8-616-1	143
8-635	140
8-635-3	140
8-644	143
8-650	133
8-650-1	133
8-650-2	133
8-652	135
8-652S	136
8-652-1	135
8-652-1S	136
8-655	134
8-655-1	134
8-655-2	134
8-657	135
8-657S	136
8-711-1N	139
8-711-1NL	139
8-711N	139
8-711NL	139
8-720	140
8-730	138
8-730-1	138
8-731	138
8-731-1	138
8-731-3	138
8-731-4	138
8-732	138
8-732-1	138
8-732-3	138
8-732-4	138

9 -

9-503	148
9-509	147
9-510	147
9-510R	147
9-515R	148
9-518-1	149
9-518-2	149
9-518-2R	149
9-518-3	150
9-518-4	150
9-544	163
9-544-2	163
9-544-4	163
9-550	172
9-551	172
9-552	172
9-552F	172
9-555	172
9-556	172
9-557	172
9-559	172
9-560	172
9-560-1	172
9-561	172
9-566	172
9-572	170
9-573	170
9-573-1	170
9-574	170
9-574-1	170
9-576	180
9-576-4	180
9-576-5	180
9-577-3	170
9-577-4	170
9-578	174
9-578-2	174
9-578-8	180
9-579	174
9-579-2	174
9-579-6	174
9-581F	172
9-583	178

9-585	176	9-840-1	158
9-588	178	9-840-3	158
9-588-1	178	9-841	159
9-588-2	178	9-841-1	159
9-588-3	178	9-841-2	159
9-589	178	9-841-3	160
9-590	176	9-841-4	160
9-591	176	9-845	161
9-592	176	9-845-2	161
9-595	178	9-846	161
9-597	174	9-847	162
9-597-1	174	9-854R	154
9-598-2	174	9-855	154
9-599	182		
9-599-1	182		
9-649	164		
9-650	164		
9-687	165		
9-687-1	165		
9-687-2	165		
9-687-3	165		
9-687-4	165		
9-687-5	165		
9-687-6	165		
9-687-7	165		
9-692	164		
9-700	157		
9-705R	157		
9-705R-1	157		
9-729	156		
9-729-1	156		
9-730	156		
9-732	153		
9-733	153		
9-734	153		
9-749	162		
9-778	151		
9-779	151		
9-781	151		
9-781W	152		
9-788	152		
9-789W-1	152		
9-830	155		
9-831	155		
9-840	158		

DK

DK7003	192
DK7710E	185
DK7717E	186
DK7726	187
DK7740E	185
DK7791	187
DK7797-2	186
DK7797-3	186

Trays

T7000	192
T7003-1	192
T7010	192
T7010-2	192
T7020	192
T7020-2	192

Instruments by Sub-Specialty

Essential Cataract	195
Glaucoma	197
Lacrimal	198
Oculoplastics	199
Paediatric	200
Vitreoretinal	201

Instruments by Procedure

DALK - Deep Anterior Lamellar Keratoplasty	205
DMEK - Descemet's Membrane Endothelial Keratoplasty	206
FLACS - Femtosecond Laser-Assisted Cataract Surgery	207
ICL - Implantable Contact Lens	207
LASIK - Laser in-situ Keratomileusis	208
LRI - Limbal Relaxing Incision	208
PK - Penetrating Keratoplasty	209
SMILE - Small Incision Lenticule Extraction	210
Toric	210